




 **PELICAN™** | **CASE CATALOG**

PELICAN™ CASE ■ PELICAN™ STORM CASE™ ■ PELICAN-HARDIGG™ ROTO-PACK





Lyndon Faulkner, President and CEO

Dear Customer,

You may have heard that Pelican began the year by announcing our acquisition of Hardigg Industries. You'll find the results in the pages of this catalog in the form of 23 new injection molded cases called Pelican™ Storm Case™ and 24 roto molded cases under the Pelican-Hardigg™ brand.

Now users can choose between Pelican's trusted Double Throw Latches, or the simple Press & Pull Latches found on the Pelican™ Storm Case™. And, with the synergies between our respective market channels, that means more choices in more locations than ever before.

Even bigger news is the release of a standardized set of roto molded products we've named the Roto-Pack

offering. You'll find this group under the Pelican-Hardigg™ brand in this catalog, and it includes an amazing array of single lid cases, extra large shipping containers, rack-mount cases for electronics and specialty products such as the mobile field desk. By bringing these products under the Pelican™ brand we have created the largest offering of Cases in the world.

But the most important change this year is the way we do business. With this acquisition Pelican™ has tapped into over 30 years of customization experience and a business model that literally executes on the promise "whatever the customer wants!" With one call, you can bring the expertise of more than 70

engineers, manufacturing facilities on both coasts of the USA and Europe, and strategically located case centers to any technical challenge or deadline you face.

As I have said, these are exciting times at Pelican™ and we look forward to earning your business with every successful project we embark on together.

Respectfully,

Lyndon Faulkner
President and CEO
Pelican Products, Inc.

> NEW SERVICES: UNLIMITED SOLUTIONS.



Custom protection services



Portable Rackmount protection



Specialized medical applications



Mobile command center solutions



Innovative cradle suspension systems for delicate equipment



MARKETS SERVED



LAW ENFORCEMENT



FIRE



INDUSTRIAL



MILITARY



OUTDOOR

Message from the President and CEO	p 2
How to Use This Catalog	p 4-6

> PELICAN CASES



PELICAN™ Pelican Case Section and Features	p 7-8
N New Pelican Cases	p 9
Memory Card Cases	0910 0940 p 10
Micro Case Series™	1010 i1010 N 1015 N i1015 1020 1030 1040 1050 1060 p 11-12
Small Cases	1120 1150 N 1170 1200 1300 1400 p 13-14
Medium Cases	1450 1500 1500EMS 1510 1510LOC 1520 1550 1550EMS p 15-16
Laptop Cases	1080 N 1090 1470 1490 1495 1430 1440 p 17-20
Large Cases	1560 1600 1600EMS 1610 1620 1630 1640 1650 1660 p 21-25
	1690 N 1730 1780T 0340 0350 0370 N 0450 N 0500
Long Cases	1700 1720 N 1740 1750 1770 1780HL 1780RF p 26-27



> PELICAN STORM CASES



PELICAN™ STORM CASE™ Pelican Storm Case Section and Features	p 36-37
Small Cases	iM2050 iM2075 iM2100 p 38
Medium Cases	iM2200 iM2300 iM2306 iM2370 iM2400 iM2450 iM2500 iM2600 iM2620 p 39-40
Large Cases	iM2700 iM2720 iM2750 iM2875 iM2950 iM2975 iM3075 p 41-42
Long Cases	iM3100 iM3200 iM3220 iM3300 p 43

> PELICAN-HARDIGG® CASES (Pelican-Hardigg Roto-Pack Cases)



PELICAN™ HARDIGG CASES™ Roto Molding Technology and Design Product Overview	p 49-50
BlackBox™ Rack Mount Cases	BB0030 BB0040 BB0050 BB0070 BB0090 BB00110 BB00140 p 51-52
Specialty Products	FD3121 Single Field Desk FD3429 Single Field Desk TL3619 Trunklocker FT 3317 Footlocker MC3000 Medchest 3 MC4100 Medchest 4 Drawer MC8100 Medchest 8 Drawer p 53-55
Single Lid Cases	AL1616 AL2013 AL2624 AL3018 AL3418 AL4024 AL5415 AL3834 AL5424 AL6912 p 56-57
Case Dimensions Table / Specifications and Accessories	Pelican Cases p 30-35 Pelican Storm Cases p 46-47 Pelican-Hardigg Cases p 58-61
Padded Dividers and Lid Organizers	Pelican Cases p 28-29 Pelican Storm Cases p 44-45
Miscellaneous and Pelican Lighting Tools	p 62

> One-click product table



MICRO CASES	
	1020 MICRO CASE
	6.82" x 4.75" x 2.12" (17.3 x 12.1 x 5.4 cm)
	5.31" x 3.56" x 1.68" (13.5 x 9 x 4.3 cm)
	0.69" / 0.94" (1.8 cm / 2.4 cm)
	0.56 lbs. (0.25 kg) WITH FOAM 0.55 lbs. (0.25 kg) NO FOAM
	Carabiner
	IP67
	EXTERIOR DIMENSI
	INTERIOR DIMENSI
LID/BOTTOM DEP	
WEIGHT	
COLORS	
SPECIAL ACCESSO	
CERTIFICATES	

Get the specs: click on any product and jump to its features and specs, instantly.

> PELICAN CASES | MEMORY CARD CASE

	0910
--	-------------

> PELICAN CASES | MICRO CASE SERIES™

	0940		1010		i1010		1015		i1015		1020		1030		1040		1050
--	-------------	--	-------------	--	--------------	--	-------------	--	--------------	--	-------------	--	-------------	--	-------------	--	-------------

> PELICAN CASES | SMALL CASES

	1060		1120		1150		1170		1200		1300		1400
--	-------------	--	-------------	--	-------------	--	-------------	--	-------------	--	-------------	--	-------------

> PELICAN CASES | MEDIUM CASES

	1450		1500		1500EMS		1510		1520		1550
--	-------------	--	-------------	--	----------------	--	-------------	--	-------------	--	-------------

> PELICAN CASES | LAPTOP CASES

	1550EMS		1080		1090		1470		1490		1495		1430
--	----------------	--	-------------	--	-------------	--	-------------	--	-------------	--	-------------	--	-------------

> PELICAN CASES | LARGE CASES

	1440		1510LOC		1560		1600		1600EMS		1610
--	-------------	--	----------------	--	-------------	--	-------------	--	----------------	--	-------------

> PELICAN CASES | LARGE CASES

	1620		1630		1640		1650		1660		1690		1730		1780T		0340		0350		0370		0450		0500
--	-------------	--	-------------	--	-------------	--	-------------	--	-------------	--	-------------	--	-------------	--	--------------	--	-------------	--	-------------	--	-------------	--	-------------	--	-------------

> PELICAN CASES | LONG CASES

	1700		1720		1750		1740		1770		1780HL		1780RF
--	-------------	--	-------------	--	-------------	--	-------------	--	-------------	--	---------------	--	---------------

> ONE-CLICK PRODUCT TABLE CONTINUED ON NEXT PAGE

> One-click product table



> PELICAN STORM CASES | SMALL CASES > PELICAN STORM CASES | MEDIUM CASES

iM2050	iM2075	iM2100	iM2200	iM2300	iM2306	iM2370	iM2400	iM2450	iM2500	iM2600	iM2620

> PELICAN STORM CASES | LARGE CASES > PELICAN STORM CASES | LONG CASES

iM2700	iM2720	iM2750	iM2875	iM2950	iM2975	iM3075	iM3100	iM3200	iM3220	iM3300



> PELICAN-HARDIGG CASES | BLACKBOX™ RACK MOUNT CASES > PELICAN-HARDIGG CASES | SPECIALTY PRODUCTS

BB0030	BB0040	BB0050	BB0070	BB0090	BB0110	BB0140	FD3121 Single Field Desk	FD3429 Double Duty Field Desk	TL3619 Trunklocker	FT3317 Footlocker	MC3000 Medchest 3

> PELICAN-HARDIGG CASES | SINGLE LID CASES

MC4100 Medchest 4 Drawer	MC8100 Medchest 8 Drawer	AL1616	AL2013	AL2624	AL3018	AL3418	AL4024	AL5415	AL3834	AL5424	AL6912

New this year is our reformatted digital catalog. This new catalog is viewable in your office or on the go. Conveniently designed to print on standard letter size paper, it can also be stored on your desktop for quick reference.

If viewed with a computer that has an internet connection, live updates with the most current specs can be viewed instantaneously.

LINK >

Jump to complete up-to-date product specs single page PDF



SMALL CASES

SMALL CASES

CASE CATALOG

	1120 CASE
EXTERIOR DIMENSIONS	8.12" x 6.56" x 3.56" (20.6 x 16.7 x 9 cm)
INTERIOR DIMENSIONS	7.25" x 4.75" x 3.06" (18.4 x 12.1 x 7.6 cm)
LID/BOTTOM DEPTH	0.80" / 2.56" (1.3 cm / 6.5 cm)
WEIGHT	1.23 lbs. (0.56 kg) WITH FOAM 1.04 lbs. (0.59 kg) NO FOAM
COLORS	
SPECIAL ACCESSORIES	Special Application Panel Frame
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280
	1160 CASE
EXTERIOR DIMENSIONS	9.12" x 7.56" x 4.37" (23.2 x 19.2 x 11.1 cm)
INTERIOR DIMENSIONS	8.16" x 6.68" x 3.62" (20.8 x 14.4 x 9.2 cm)
LID/BOTTOM DEPTH	0.75" / 2.87" (1.9 cm / 7.3 cm)
WEIGHT	1.98 lbs. (0.9 kg) WITH FOAM 1.76 lbs. (0.8 kg) NO FOAM
COLORS	
SPECIAL ACCESSORIES	Special Application Panel Frame
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280
	1200 CASE
EXTERIOR DIMENSIONS	10.62" x 9.66" x 4.87" (27 x 24.6 x 12.4 cm)
INTERIOR DIMENSIONS	9.26" x 7.12" x 4.12" (23.5 x 18.1 x 10.5 cm)
LID/BOTTOM DEPTH	1.18" / 2.93" (3 cm / 7.4 cm)
WEIGHT	2.97 lbs. (1.3 kg) WITH FOAM 2.85 lbs. (1.2 kg) NO FOAM
COLORS	
SPECIAL ACCESSORIES	Special Application Panel Frame
CERTIFICATES	IP67 DEF STAN 81-41/STANAG 4280



■ PELICAN™ CASE SECTION



**i1015
MICRO
CASE**



**0450
MOBILE
TOOL
CHEST**



**1740
LONG
CASE**



**0500
TRANSPORT
CASE**

> ANATOMY OF A PELICAN™ CASE

STRONGER BY DESIGN

Pelican™ Cases are made with a proprietary combination of homo and co-polymers, using an open cell core and solid wall construction, which is stronger and lighter than a solid core wall. Stainless steel pins are used in hinges and handles.

WATERTIGHT

The secret is the tongue and groove fit with a polymer o-ring acting as a waterproof seal.



EASY ROLLER

Stainless steel ball bearing wheels last longer and ride smoother. The nylon hub adjacent to the stainless steel is made to resist heat. The result is less wear and tear on the polyurethane wheel.

REINFORCED PADLOCK PROTECTORS

Stainless steel reinforced padlock protectors provide added strength and extra security against cutting and theft.

ULTIMATE EQUIPMENT PROTECTION

For over 30 years Pelican™ has built a reputation for manufacturing the toughest Cases in the world. As a matter of fact, we invented the category. Over these years we've seen our cases used for some fairly crazy activities... and important ones, too.

Pelican™ Cases have been thrown out of helicopters in Iraq, floated through frigid fjords in Norway and rolled over by SUVs in Tanzania. With only a few

scratches to show on the outside, contents inside are left unscathed. These are minor details for major bragging rights. And that is really what it's all about. Getting your gear from point A to point B in the condition it's meant to be in: intact and functional. Because it might contain a large format camera that will shoot next month's magazine cover or a heart defibrillator that could save a person's life, you can't put a price on it.



DOUBLE-THROW LATCHES

The Double-Throw latches are smarter and easier to open: it's the classic "C" clamp design with a secondary movement that works like a pry bar to start the release and offers plenty of leverage to open with a light pull.

FOAM

All Pelican™ Cases (except Micro Cases, Memory Card Cases, 1780W, 1780HL, and 1780RF) come standard with Pick N Pluck™ foam. 1700, 1720, 1750 Cases come standard with 3 piece foam sets. Replacement foam is available for all models (except Memory Card Cases, i1010, and i1030, i1015). To order a case with no foam, add NF to the catalog number.

NAMEPLATE

Custom engraved nameplates are available for a nominal fee.

COOL UNDER PRESSURE

The Automatic Pressure Equalization Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is even easier to open.

COLORS



BLACK



DESERT TAN



ORANGE



SILVER



YELLOW



BLUE



*OD GREEN

N > NEW PELICAN CASES



1015 Micro Case
The Micro Case Series™ has a new member. The 1015 Micro Case protects your miniature valuables.



i1015 Case
The new i1015 Case is engineered to protect your iPhone™ or iPod® touch while listening to your favorite tunes with the external headphone jack.



1170 Case
From protecting your inventory data control to housing personal cameras, you can count on the new 1170 Case for protecting your equipment in any harsh environment.



1090 HardBack™
Watertight and dustproof, this streamlined case will protect your 15" laptop. Protect your laptop in your HardBack™ before you slip it into your softbag or use it with its shoulder strap (included).



*Tools and foam not included

0450 Mobile Tool Chest
Standard equipment for US Military repair units, the 0450 Mobile Tool Case (tools and foam not included) can be configured with up to 7 shelves (and a top tray) to contain a variety of tool combinations. A retractable handle and built in wheels keep you moving when the job is done. Loaded with resourceful features to make your job easier.



1740 Long Case
The 1740 is your ideal method for protecting a telescope, jack hammer, rifles, chainsaw, tripods and lights, and other long gear. We developed the 1740 for easy one person transport and its depth and length allow for infinite storage possibilities.



1770 Long Case
When you need protection for longer equipment and weapons such as .50 caliber guns and survey drill kits, the 1770 Long Case is our longest case to date.



1730 Transport Case
From the loading dock to the final destination, the new 1730 is the rugged transport case for the job. Stainless steel ball bearing wheels and a fold down handle turn big loads into a one-man job. Got a whole pile of gear to move? Heavy cleats hold a stack together as one secure load.



0500 Transport Case
This new case fits two up on a standard size pallet. It also can be inverted and used as a pallet with an airtight cover.

MEMORY CARD CASES



0910 MEMORY CARD CASE

0940 MEMORY CARD CASE



5.00" x 3.30" x 0.95" (12.7 x 8.4 x 2.4 w)	EXTERIOR DIMENSIONS
4.20" x 2.30" x 0.56" (10.7 x 5.8 x 1.4 cm)	INTERIOR DIMENSIONS
0.26" / 0.30" (0.7 cm / 0.8 cm)	LID/BOTTOM DEPTH
.28 lbs. (0.13 kg) WITH LINER .17 lbs. (0.08 kg) NO LINER	WEIGHT
■	COLORS
Includes one extra "plain" liner for custom storage needs	AVAILABLE ACCESSORIES
	CERTIFICATES



5.00" x 3.30" x 0.95" (12.7 x 8.4 x 2.4 cm)	EXTERIOR DIMENSIONS
4.20" x 2.30" x 0.56" (10.7 x 5.8 x 1.4 cm)	INTERIOR DIMENSIONS
0.26" / 0.30" (0.7 cm / 0.8 cm)	LID/BOTTOM DEPTH
.28 lbs. (0.13 kg) WITH LINER .17 lbs. (0.08 kg) NO LINER	WEIGHT
■	COLORS
Includes one extra "plain" liner for custom storage needs	AVAILABLE ACCESSORIES
	CERTIFICATES



[LINK >](#)

1010 MICRO CASE

5.88" x 4.06" x 2.12" (14.9 x 10.3 x 5.4 cm)	EXTERIOR DIMENSIONS
4.37" x 2.87" x 1.68" (11.1 x 7.3 x 4.3 cm)	INTERIOR DIMENSIONS
0.69" / 0.94" (1.8 cm / 2.4 cm)	LID/BOTTOM DEPTH
0.41 lbs. (0.19 kg) WITH FOAM 0.4 lbs. (0.18 kg) NO FOAM	WEIGHT
	COLORS
Pick N Pluck™ Foam Insert	AVAILABLE ACCESSORIES
IP67	CERTIFICATES

MICRO CASE SERIES™



[LINK >](#)

External headphone jack lets you listen to your player, while case is closed.

i1010 CASE

5.88" x 4.06" x 2.12" (14.9 x 10.3 x 5.4 cm)	EXTERIOR DIMENSIONS
4.37" x 2.87" x 1.68" (11.1 x 7.3 x 4.3 cm)	INTERIOR DIMENSIONS
0.69" / 0.94" (1.8 cm / 2.4 cm)	LID/BOTTOM DEPTH
0.41 lbs. (0.19 kg)	WEIGHT
	COLORS
	AVAILABLE ACCESSORIES
	CERTIFICATES

NEW



[LINK >](#)

1015 MICRO CASE

6.68" x 3.88" x 1.86" (17 x 9.9 x 4.7 cm)	EXTERIOR DIMENSIONS
5.14" x 2.64" x 1.37" (13.1 x 6.7 x 3.5 cm)	INTERIOR DIMENSIONS
0.43"(1.1 cm)/ 0.94" (2.4 cm)	LID/BOTTOM DEPTH
0.49 lbs. (0.22 kg)	WEIGHT
	COLORS
	AVAILABLE ACCESSORIES
	CERTIFICATES

NEW



[LINK >](#)

External headphone jack lets you listen to your player, while case is closed.

i1015 CASE

6.68" x 3.88" x 1.86" (17 x 9.9 x 4.7 cm)	EXTERIOR DIMENSIONS
5.14" x 2.64" x 1.37" (13.1 x 6.7 x 3.5 cm)	INTERIOR DIMENSIONS
0.43"(1.1 cm)/ 0.94" (2.4 cm)	LID/BOTTOM DEPTH
0.49 lbs. (0.22 kg)	WEIGHT
	COLORS



Built-in cable manager is perfect for storing earphones and cables

Fits these Smart Phone Models:
iPhone™, Blackberry®: Curve/Storm/Pearl, T-Mobile® G1
Nokia®:5800/E63/E71/E71/E75/N79/N78



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



1040 MICRO CASE
7.50" x 5.06" x 2.12" (19 x 12.8 x 5.4 cm)
6.50" x 3.87" x 1.75" (16.5 x 9.8 x 4.4 cm)
0.69" / 0.94" (1.8 cm / 2.4 cm)
0.71 lbs. (0.32 kg) WITH FOAM 0.7 lbs. (0.32 kg) NO FOAM
Pick N Pluck™ Foam Insert
IP67

[LINK >](#)

1020 MICRO CASE



6.82" x 4.75" x 2.12" (17.3 x 12.1 x 5.4 cm)
5.31" x 3.56" x 1.68" (13.5 x 9 x 4.3 cm)
0.69" / 0.94" (1.8 cm / 2.4 cm)
0.56 lbs. (0.25 kg) WITH FOAM 0.55 lbs. (0.25 kg) NO FOAM
Pick N Pluck™ Foam Insert
IP67

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES

[LINK >](#)

1050 MICRO CASE



1050 MICRO CASE
7.50" x 5.06" x 3.12" (19 x 12.8 x 7.9 cm)
6.31" x 3.68" x 2.75" (16 x 9.3 x 7 cm)
0.69" / 1.94" (1.8 cm / 4.9 cm)
0.83 lbs. (0.38 kg) WITH FOAM 0.81 lbs. (0.37 kg) NO FOAM
Pick N Pluck™ Foam Insert
IP67

[LINK >](#)

1030 MICRO CASE



7.50" x 3.87" x 2.43" (19 x 9.8 x 6.2 cm)
6.37" x 2.62" x 2.06" (16.2 x 6.7 x 5.2 cm)
0.69" / 1.25" (1.8 cm / 3.2 cm)
0.61 lbs. (0.28 kg) WITH FOAM 0.6 lbs. (0.27 kg) NO FOAM
Pick N Pluck™ Foam Insert
IP67

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES

[LINK >](#)

1060 MICRO CASE



1060 MICRO CASE
9.37" x 5.56" x 2.62" (23.8 x 14.1 x 6.7 cm)
8.25" x 4.25" x 2.25" (20.9 x 10.8 x 5.7 cm)
0.69" / 1.44" (1.8 cm / 3.7 cm)
1.03 lbs. (0.47 kg) WITH FOAM 1 lbs. (0.45 kg) NO FOAM
Pick N Pluck™ Foam Insert
IP67

[LINK >](#)



SMALL CASES

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

[LINK >](#)



> Shown with panel frame option for special application usage.

1150 CASE

9.12" x 7.56" x 4.37"
(23.2 x 19.2 x 11.1 cm)

8.18" x 5.68" x 3.62"
(20.8 x 14.4 x 9.2 cm)

0.75" / 2.87"
(1.9 cm / 7.3 cm)

1.98 lbs. (0.9 kg) WITH FOAM
1.76 lbs. (0.8 kg) NO FOAM



Special Application Panel Frame

IP67
• DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

[LINK >](#)



1170 CASE

11.64" x 8.34" x 3.78"
(29.6 x 21.2 x 9.6 cm)

10.54" x 6.04" x 3.16"
(26.8 x 15.3 x 8 cm)

1.08" / 2.08"
(2.7 cm / 5.3 cm)

2.10 lbs. (0.95 kg) WITH FOAM
1.96 lbs. (0.89 kg) NO FOAM



IP67

1120 CASE

8.12" x 6.56" x 3.56"
(20.6 x 16.7 x 9 cm)

7.25" x 4.75" x 3.06"
(18.4 x 12.1 x 7.8 cm)

0.50" / 2.56"
(1.3 cm / 6.5 cm)

1.23 lbs. (0.56 kg) WITH FOAM
1.17 lbs. (0.53 kg) NO FOAM



Special Application Panel Frame

IP67
• DEF STAN 81-41/STANAG 4280

[LINK >](#)



Similarly sized Pelican™ Storm Case™: iM2050

EXTERIOR DIMENSIONS

INTERIOR DIMENSIONS

LID/BOTTOM DEPTH

WEIGHT

COLORS

AVAILABLE ACCESSORIES

CERTIFICATES

[LINK >](#)



1200 CASE

10.62" x 9.68" x 4.87"
(27 x 24.6 x 12.4 cm)

9.25" x 7.12" x 4.12"
(23.5 x 18.1 x 10.5 cm)

1.18" / 2.93"
(3 cm / 7.4 cm)

2.87 lbs. (1.3 kg) WITH FOAM
2.65 lbs. (1.2 kg) NO FOAM



Special Application Panel Frame

IP67
• DEF STAN 81-41/STANAG 4280

Similarly sized Pelican™ Storm Case™: iM2075

1300 CASE


Similarly sized Pelican™ Storm Case™: iM2100

1400 CASE



> Shown with panel frame option for special application usage.

[LINK >](#)

10.62" x 9.68" x 6.87" (27 x 24.6 x 17.4 cm)	EXTERIOR DIMENSIONS
9.87" x 7.00" x 6.12" (25.1 x 17.8 x 15.5 cm)	INTERIOR DIMENSIONS
1.18" / 4.93" (3 cm / 12.5 cm)	LID/BOTTOM DEPTH
3.53 lbs. (1.6 kg) WITH FOAM 3.09 lbs. (1.4 kg) NO FOAM	WEIGHT
	COLORS
Special Application Panel Frame	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



[LINK >](#)


13.37" x 11.62" x 6.00" (33.9 x 29.5 x 15.2 cm)	EXTERIOR DIMENSIONS
11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm)	INTERIOR DIMENSIONS
1.18" / 4.00" (3 cm / 10.2 cm)	LID/BOTTOM DEPTH
4.41 lbs. (2 kg) WITH FOAM 3.97 lbs. (1.8 kg) NO FOAM	WEIGHT
	COLORS
Special Application Panel Frame	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	CERTIFICATES

Photo by Marek Arcimowicz





MEDIUM CASES

Similarly sized Pelican™ Storm Case™: iM2200

1450 CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



16.00" x 13.00" x 6.87" (40.6 x 33 x 17.4 cm)
14.62" x 10.18" x 6.00" (37.1 x 25.8 x 15.2 cm)
1.75" / 4.25" (4.4 cm / 10.8 cm)
6.39 lbs. (2.9 kg) WITH FOAM 5.51 lbs. (2.5 kg) NO FOAM
Panel Frame • Padded Divider Set Only • Instapak Quick® RT
IP67 • MIL C-4150J DEF STAN 81-41/STANAG 4280

[LINK >](#)

Similarly sized Pelican™ Storm Case™: iM2300

1500 CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES




18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)
16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)
1.81" / 4.31" (4.6 cm / 10.9 cm)
7.05 lbs. (3.2 kg) WITH FOAM 6.39 lbs. (2.9 kg) NO FOAM
Panel Frame • Padded Divider Set • Lid Organizer
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300

[LINK >](#)

Similarly sized Pelican™ Storm Case™: iM2300

1500EMS CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



EMS Cases come with a specially engineered lid organizer with clear pockets, and padded divider to quickly spot medical supplies in any emergency

18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)
16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)
1.81" / 4.31" (4.6 cm / 10.9 cm)
10 lbs. (4.54 kg)
EMS Accessory Set (Lid Organizer and Divider Set Only)
IP67 • MIL C-4150J • STANAG 4280 ATA 300

[LINK >](#)

Similarly sized Pelican™ Storm Case™: iM2500

1510 CARRY ON CASE

Similarly sized Pelican™ Storm Case™: iM2600

1550 CASE



[LINK >](#)

22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)	EXTERIOR DIMENSIONS
19.75" x 11.00" x 7.60" (50.1 x 27.9 x 19.3 cm)	INTERIOR DIMENSIONS
1.79" / 5.79" (4.5 cm / 14.7 cm)	LID/BOTTOM DEPTH
13.6 lbs. (6.17 kg) WITH FOAM 11.99 lbs. (5.44 kg) NO FOAM	WEIGHT
	COLORS
Padded Divider Set • Lid Organizer • Instapak Quick® RT	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



[LINK >](#)

20.62" x 16.87" x 8.12" (52.4 x 42.8 x 20.6 cm)	EXTERIOR DIMENSIONS
18.43" x 14.00" x 7.62" (46.8 x 35.5 x 19.3 cm)	INTERIOR DIMENSIONS
1.75" / 5.87" (4.4 cm / 14.9 cm)	LID/BOTTOM DEPTH
11.9 lbs. (5.4 kg) WITH FOAM 10.58 lbs. (4.8 kg) NO FOAM	WEIGHT
	COLORS
Panel Frame • Padded Divider Set	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	CERTIFICATES

Similarly sized Pelican™ Storm Case™: iM2500

1510LOC LAPTOP OVERNIGHT CASE

Similarly sized Pelican™ Storm Case™: iM2600

1550EMS CASE



[LINK >](#)

- 2 in 1 protection: detachable computer sleeve and accessories pouch
- FAA maximum carry on size
- Fits notebook computers up to 14.4"x11.1"x1.7"

22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)	EXTERIOR DIMENSIONS
19.75" x 11.00" x 7.60" (50.1 x 27.9 x 19.3 cm)	INTERIOR DIMENSIONS
1.79" / 5.79" (4.5 cm / 14.7 cm)	LID/BOTTOM DEPTH
13.6 lbs. (6.17 kg)	WEIGHT
	COLORS
	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



[LINK >](#)

- EMS Cases come with a specially engineered lid organizer with clear pockets, and padded divider to quickly spot medical supplies in any emergency

20.62" x 16.87" x 8.12" (52.4 x 42.8 x 20.6 cm)	EXTERIOR DIMENSIONS
18.43" x 14.00" x 7.62" (46.8 x 35.5 x 19.3 cm)	INTERIOR DIMENSIONS
1.75" / 5.87" (4.4 cm / 14.9 cm)	LID/BOTTOM DEPTH
15 lbs. (6.8 kg)	WEIGHT
	COLORS
EMS Accessory Set (Lid Organizer and Divider Set)	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • STANAG 4280 • ATA 300	CERTIFICATES

Similarly sized Pelican™ Storm Case™: iM2400

1520 CASE




[LINK >](#)

> Shown with panel frame option for special application usage.

19.78" x 15.77" x 7.41" (50.2 x 40 x 18.8 cm)	EXTERIOR DIMENSIONS
18.06" x 12.89" x 6.72" (45.9 x 32.7 x 17.1 cm)	INTERIOR DIMENSIONS
1.79" / 4.93" (4.5 cm / 12.5 cm)	LID/BOTTOM DEPTH
9.35 lbs. (4.24 kg) WITH FOAM 8.29 lbs. (3.76 kg) NO FOAM	WEIGHT
	COLORS
Panel Frame • Padded Divider Set • Photo Lid Organizer • Lid Organizer • Travel Bag	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J DEF STAN 81-41/STANAG 4280	CERTIFICATES

Lisbon Dakar Rally Race - Photo by Luis Heras





LAPTOP CASES

1080 HARDBACK™ CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
ACCESSORIES
CERTIFICATES



COLORS


- Fits notebook computers up to 12.3" L x 9.3" W x 1.5" D
- Will hold 8.5 x 11" and A4 documents

[LINK >](#)

13.75" x 10.95" x 2.55" (34.9 x 27.8 x 6.5 cm)
12.80" x 9.80" x 1.70" (32.5 x 24.9 x 4.3 cm)
0.85" / 0.85" (2.2 cm / 2.2 cm)
2.89 lbs. (1.31 kg) WITH FOAM 2.76 lbs. (1.25 kg) NO FOAM
IP67

1080CC HARDBACK™ CASE (WITH COMPUTER CASE LINER)

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
ACCESSORIES
CERTIFICATES



COLORS

- Fits notebook computers up to 12.3" L x 9.3" W x 1.5" D
- Will hold 8.5 x 11" and A4 documents

[LINK >](#)

13.75" x 10.95" x 2.55" (34.9 x 27.8 x 6.5 cm)
12.80" x 9.80" x 1.70" (32.5 x 24.9 x 4.3 cm)
0.85" / 0.85" (2.2 cm / 2.2 cm)
2.89 lbs. (1.31 kg)
Included accessories: Computer Case Liner
IP67



1090 HARDBACK™ CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
ACCESSORIES
CERTIFICATES



COLORS


- Fits notebook computers up to 14.4" x 11.1" x 1.7"
- Will hold 8.5 x 11" and A4 documents

[LINK >](#)

15.83" x 13.10" x 2.86" (40.2 x 33.3 x 7.3 cm)
15.00" x 11.32" x 1.92" (38.1 x 28.7 x 4.9 cm)
0.96" / 0.96" (2.4 cm / 2.4 cm)
3.32 lbs. (1.51 kg) WITH FOAM 2.98 lbs. (1.35 kg) NO FOAM
Included accessories: Shoulder Strap
IP67



1090CC HARDBACK™ CASE
(WITH COMPUTER CASE LINER)



COLOR

- Fits notebook computers up to 14.4"L x 11.1"W x 1.7"D
- Will hold 8.5 x 11" and A4 documents

[LINK >](#)

15.83" x 13.10" x 2.86"
(40.2 x 33.3 x 7.3 cm)

EXTERIOR DIMENSIONS

15.00" x 11.32" x 1.92"
(38.1 x 28.7 x 4.9 cm)

INTERIOR DIMENSIONS

0.96" / 0.96"
(2.4 cm / 2.4 cm)

LID/BOTTOM DEPTH

3.32 lbs. (1.51 kg)

WEIGHT

Included accessories:
Shoulder Strap • Computer Case Liner

ACCESSORIES

IP67

CERTIFICATES



COLORS

- Double safety locking latches with keys



[LINK >](#)

1470 CASE

16.68" x 13.06" x 4.37"
(42.4 x 33.2 x 11.1 cm)

15.62" x 10.43" x 3.75"
(39.7 x 26.5 x 9.5 cm)

1.37" / 2.37"
(3.5 cm / 6 cm)

5.51 lbs. (2.5 kg) WITH FOAM
4.28 lbs. (1.94 kg) NO FOAM

Available accessories:
Shoulder Strap • Panel Frame

IP57 • MIL C-4150J



1490 CASE



COLORS

■ Double safety locking latches with keys

[LINK >](#)

19.87" x 13.93" x 4.68" (50.4 x 35.4 x 11.9 cm)	EXTERIOR DIMENSIONS
17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)	INTERIOR DIMENSIONS
1.50" / 2.62" (3.8 cm / 6.7 cm)	LID/BOTTOM DEPTH
6.5 lbs. (2.95 kg) WITH FOAM 5.47 lbs. (2.48 kg) NO FOAM	WEIGHT
Available accessories: Shoulder Strap • Panel Frame • Computer Lid Organizer • Computer Bottom Insert	ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

1495 CASE



COLORS

■ Fits up to 17" laptops
■ 3 dial combination lock included

[LINK >](#)

21.62" x 17.25" x 4.87" (54.9 x 43.8 x 12.4 cm)	EXTERIOR DIMENSIONS
18.87" x 13.12" x 3.81" (47.9 x 33.3 x 9.7 cm)	INTERIOR DIMENSIONS
1.12" / 2.68" (2.8 cm / 6.8 cm)	LID/BOTTOM DEPTH
8.37 lbs. (3.8 kg) WITH FOAM 7.23 lbs. (3.28 kg) NO FOAM	WEIGHT
Included accessories: Shoulder Strap	ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

1490CC1 LAPTOP CASE



COLORS

■ Fits notebook computers up to 14.0" L x 10.8" W x 2.5" D
■ Double safety locking latches with keys

[LINK >](#)

19.87" x 13.93" x 4.68" (50.4 x 35.4 x 11.9 cm)	EXTERIOR DIMENSIONS
17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)	INTERIOR DIMENSIONS
1.50" / 2.62" (3.8 cm / 6.7 cm)	LID/BOTTOM DEPTH
6.5 lbs. (2.95 kg)	WEIGHT
Included accessories: Computer Lid Organizer • Computer Bottom Insert • Removable Shoulder Strap	ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

1495CC1 LAPTOP CASE



COLORS

■ Fits up to 17" laptops
■ 3 dial combination lock included

[LINK >](#)

21.62" x 17.25" x 4.87" (54.9 x 43.8 x 12.4 cm)	EXTERIOR DIMENSIONS
18.87" x 13.12" x 3.81" (47.9 x 33.3 x 9.7 cm)	INTERIOR DIMENSIONS
1.12" / 2.68" (2.8 cm / 6.8 cm)	LID/BOTTOM DEPTH
11.1 lbs. (5.03 kg)	WEIGHT
Included accessories: Lid Organizer, Shock Absorbing Tray, and Shoulder Strap • Nylon Padded Computer Sleeve and Accessories Pouch Available accessories: 4 lb. High Density Foam	ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

1490CC2 LAPTOP CASE



COLORS

■ Fits notebook computers up to 17.3" L x 11.0" W x 3.3" D
■ Double safety locking latches with keys

[LINK >](#)

19.87" x 13.93" x 4.68" (50.4 x 35.4 x 11.9 cm)	EXTERIOR DIMENSIONS
17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)	INTERIOR DIMENSIONS
1.50" / 2.62" (3.8 cm / 6.7 cm)	LID/BOTTOM DEPTH
6.5 lbs. (2.95 kg)	WEIGHT
Included accessories: 2 pc. High Density Foam • Computer Lid Organizer	ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



1495CC2 LAPTOP CASE



COLORS

- Fits up to 17" laptops
- 3 dial combination lock included

[LINK >](#)

21.62" x 17.25" x 4.87"
(54.9 x 43.8 x 12.4 cm)

EXTERIOR DIMENSIONS

18.87" x 13.12" x 3.81"
(47.9 x 33.3 x 9.7 cm)

INTERIOR DIMENSIONS

1.12" / 2.68"
(2.8 cm / 6.8 cm)

LID/BOTTOM DEPTH

8.99 lbs. (4.08 kg)

WEIGHT

Included accessories: Lid organizer and padded shoulder strap **Available accessories:** Attache/Computer Lid Insert • Computer Bottom Insert • 4 lb. High Density Foam (Included)

ACCESSORIES

IP67 •
DEF STAN 81-41/STANAG 4280

CERTIFICATES

1430 TOP LOADER CASE



COLORS

- Unique top loading design

> Shown with optional office divider kit.

[LINK >](#)

16.93" x 9.61" x 13.42"
(43 x 24.4 x 34.1 cm)

EXTERIOR DIMENSIONS

13.56" x 5.76" x 11.70"
(34.4 x 14.6 x 29.7 cm)

INTERIOR DIMENSIONS

2.00" / 9.70"
(5.1 cm / 24.6 cm)

LID/BOTTOM DEPTH

6.5 lbs. (2.95 kg) WITH FOAM
5.6 lbs. (2.54 kg) NO FOAM

WEIGHT

Available accessories: Panel Frame • Strap Kit • Padded Divider Set • Office Divider Kit • Boat Bracket Kit • Lid Organizer

ACCESSORIES

IP67 •
DEF STAN 81-41/STANAG 4280

CERTIFICATES

1440 TOP LOADER CASE



COLORS

- Retractable extension handle

[LINK >](#)

19.70" x 12.00" x 18.00"
(50 x 30.5 x 45.7 cm)

EXTERIOR DIMENSIONS

17.10" x 7.50" x 16.00"
(43.4 x 19 x 40.6 cm)

INTERIOR DIMENSIONS

2.00" / 14.00"
(5.1 cm / 35.5 cm)

LID/BOTTOM DEPTH

16.5 lbs. (7.48 kg) WITH FOAM
14.5 lbs. (6.58 kg) NO FOAM

WEIGHT

Available accessories: Utility Padded Divider Set & Lid Organizer • Office Divider Set & Lid Organizer • Office Lid Organizer • Instapak Quick® RT

ACCESSORIES

IP67 •
DEF STAN 81-41/STANAG 4280


CERTIFICATES



Photo by Krzysztof Franciszewski



LARGE CASES

EXTERIOR DIMENSIONS	 <p>> Shown with padded divider and lid organizer.</p> <p>LINK ></p>	1560 CASE
INTERIOR DIMENSIONS		22.06" x 17.93" x 10.43" (56 x 45.5 x 26.5 cm)
LID/BOTTOM DEPTH		20.37" x 15.43" x 9.00" (51.7 x 39.2 x 22.9 cm)
WEIGHT		2.00" / 7.00" (5.1 cm / 17.8 cm)
COLORS		20 lbs. (9.07 kg) WITH FOAM 17 lbs. (7.71 kg) NO FOAM
AVAILABLE ACCESSORIES		 <p>Padded Divider Set • Lid Organizer • Instapak Quick® RT</p>
CERTIFICATES	IP67 • DEF STAN 81-41/STANAG 4280	

Similarly sized Pelican™ Storm Case™: iM2700

EXTERIOR DIMENSIONS	 <p>LINK ></p>	1600 CASE
INTERIOR DIMENSIONS		24.25" x 19.43" x 8.68" (61.6 x 49.3 x 22 cm)
LID/BOTTOM DEPTH		21.43" x 16.50" x 7.87" (54.4 x 41.9 x 20 cm)
WEIGHT		1.75" / 6.12" (4.4 cm / 15.5 cm)
COLORS		14.11 lbs. (6.4 kg) WITH FOAM 13 lbs. (5.9 kg) NO FOAM
AVAILABLE ACCESSORIES		 <p>Padded Divider Set • Lid Organizer</p>
CERTIFICATES	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	

EXTERIOR DIMENSIONS	 <p>■ EMS Cases come with a specially engineered lid organizer with clear pockets, and padded dividers to quickly spot medical supplies in any emergency</p> <p>LINK ></p>	1600EMS CASE
INTERIOR DIMENSIONS		24.25" x 19.43" x 8.68" (61.6 x 49.3 x 22 cm)
LID/BOTTOM DEPTH		21.43" x 16.50" x 7.87" (54.4 x 41.9 x 20 cm)
WEIGHT		1.75" / 6.12" (4.4 cm / 15.5 cm)
COLORS		18 lbs. (8.16 kg)
AVAILABLE ACCESSORIES		 <p>1605EMS EMS Accessory Set (Lid Organizer and Divider Set Only)</p>
CERTIFICATES	IP67 • MIL C-4150J • STANAG 4280 • ATA 300	

Case contents not included | *OD Green available upon request

Similarly sized Pelican™ Storm Case™: iM2750

1610 CASE



24.83" x 19.69" x 11.88" (63 x 50 x 30.2 cm)	EXTERIOR DIMENSIONS
21.78" x 16.69" x 10.62" (55.3 x 42.4 x 27 cm)	INTERIOR DIMENSIONS
2.05" / 8.57" (5.2 cm / 21.8 cm)	LID/BOTTOM DEPTH
22.3 lbs. (10.12 kg) WITH FOAM 19.5 lbs. (8.85 kg) NO FOAM	WEIGHT
■ ■ ■*	COLORS
Lid Organizer • Padded Divider Set Only • Instapak Quick® RT	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

1640 TRANSPORT CASE



27.20" x 27.50" x 16.30" (69.1 x 69.8 x 41.4 cm)	EXTERIOR DIMENSIONS
23.70" x 24.00" x 13.90" (60.2 x 60.9 x 35.3 cm)	INTERIOR DIMENSIONS
2.00" / 11.90" (5.1 cm / 30.2 cm)	LID/BOTTOM DEPTH
38 lbs. (17.24 kg) WITH FOAM 34 lbs. (15.42 kg) NO FOAM	WEIGHT
■ ■ ■*	COLORS
Lid Organizer • Padded Divider Set	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

Similarly sized Pelican™ Storm Case™: iM2750

1620 CASE



24.81" x 19.37" x 13.87" (63 x 49.2 x 35.2 cm)	EXTERIOR DIMENSIONS
21.37" x 16.31" x 12.56" (54.3 x 41.4 x 31.9 cm)	INTERIOR DIMENSIONS
2.06" / 10.50" (5.2 cm / 26.7 cm)	LID/BOTTOM DEPTH
26.01 lbs. (11.8 kg) WITH FOAM 24.47 lbs. (11.1 kg) NO FOAM	WEIGHT
■ ■ ■*	COLORS
Lid Organizer • Padded Divider Set Only • Instapak Quick® RT	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280	CERTIFICATES

Similarly sized Pelican™ Storm Case™: iM2950

1650 CASE



30.75" x 20.50" x 11.62" (78.1 x 52 x 29.5 cm)	EXTERIOR DIMENSIONS
28.50" x 17.37" x 10.50" (72.4 x 44.1 x 26.7 cm)	INTERIOR DIMENSIONS
1.87" / 8.62" (4.7 cm / 21.9 cm)	LID/BOTTOM DEPTH
35.49 lbs. (16.1 kg) WITH FOAM 29.1 lbs. (13.2 kg) NO FOAM	WEIGHT
■ ■ ■*	COLORS
Padded Divider Set • Photo/Lid Organizer	AVAILABLE ACCESSORIES
IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	CERTIFICATES

1630 TRANSPORT CASE



31.28" x 24.21" x 17.48" (79.4 x 61.5 x 44.4 cm)	EXTERIOR DIMENSIONS
27.70" x 20.98" x 15.50" (70.3 x 53.3 x 39.4 cm)	INTERIOR DIMENSIONS
3.25" / 12.14" (8.3 cm / 30.8 cm)	LID/BOTTOM DEPTH
36 lbs. (16.33 kg) WITH FOAM 31 lbs. (14.06 kg) NO FOAM	WEIGHT
■ ■ ■*	COLORS
Document Container Accessory • Padded Divider Set Only • Lid Organizer	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES

1660 CASE



31.59" x 22.99" x 19.48" (80.2 x 58.4 x 49.5 cm)	EXTERIOR DIMENSIONS
28.20" x 19.66" x 17.63" (71.6 x 49.9 x 44.8 cm)	INTERIOR DIMENSIONS
3.50" / 14.14" (8.9 cm / 35.9 cm)	LID/BOTTOM DEPTH
42.16 lbs. (19.12 kg) WITH FOAM 34.16 lbs. (15.49 kg) NO FOAM	WEIGHT
■ ■ ■*	COLORS
Padded Divider Set • Photo/Lid Organizer	AVAILABLE ACCESSORIES
IP67 DEF STAN 81-41/STANAG 4280	CERTIFICATES



■ Retractable extension handle

> Shown with padded divider and lid organizer options.

[LINK >](#)

1690 TRANSPORT CASE	
33.36" x 28.44" x 18.23" (84.7 x 72.2 x 46.3 cm)	EXTERIOR DIMENSIONS
30.01" x 25.02" x 15.00" (76.2 x 63.5 x 38.1 cm)	INTERIOR DIMENSIONS
2.86" / 12.14" (7.3 cm / 30.8 cm)	LID/BOTTOM DEPTH
43 lbs. (19.5 kg) WITH FOAM 34 lbs. (15.42 kg) NO FOAM	WEIGHT
	COLORS
Padded Divider Set • Lid Organizer	AVAILABLE ACCESSORIES
IP67 • DEF STAN 81-41/STANAG 4280	CERTIFICATES



■ Retractable extension handle
■ Extra deep stackable cleats

[LINK >](#)

1730 TRANSPORT CASE	
37.50" x 27.13" x 14.37" (95.2 x 68.9 x 36.5 cm)	EXTERIOR DIMENSIONS
34.00" x 24.00" x 12.50" (86.3 x 60.9 x 31.7 cm)	INTERIOR DIMENSIONS
2.50" / 10.00" (6.3 cm / 25.4 cm)	LID/BOTTOM DEPTH
38 lbs. (17.24 kg) WITH FOAM 30 lbs. (13.61 kg) NO FOAM	WEIGHT
	COLORS
Optional Humidity gauge available • Optional Manual Pressure Equalization Valve available	AVAILABLE ACCESSORIES
IP67	CERTIFICATES



■ 50/50 lid-to-base ratio for easy loading
■ Completely detachable lid for full access

[LINK >](#)

1780T TRANSPORT CASE	
44.90" x 25.32" x 16.50" (114 x 64.3 x 41.9 cm)	EXTERIOR DIMENSIONS
42.00" x 22.00" x 15.10" (106.6 x 55.9 x 38.3 cm)	INTERIOR DIMENSIONS
7.58" / 7.30" (19.2 cm / 18.5 cm)	LID/BOTTOM DEPTH
49 lbs. (22.23 kg) WITH FOAM 38.4 lbs. (17.42 kg) NO FOAM	WEIGHT
	COLORS
	AVAILABLE ACCESSORIES
DEF STAN 81-41/STANAG 4280	CERTIFICATES



LARGE CASES

Case contents not included | *OD Green available upon request



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



■ Built-in/spring loaded pull handle

[LINK >](#)

0340 CUBE CASE
20.50" x 20.50" x 19.25" (52 x 52 x 48.9 cm)
18.00" x 18.00" x 18.00" (45.7 x 45.7 x 45.7 cm)
4.00" / 12.50" (10.2 cm / 31.7 cm)
29.76 lbs. (13.5 kg) WITH FOAM 24 lbs. (10.89 kg) NO FOAM
■ ■ ■*
Padded Divider Set • Lid Organizer
IP67 • DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



■ Large 2-person fold down handles

[LINK >](#)

0350 CUBE CASE
22.50" x 22.43" x 21.25" (57.1 x 56.9 x 54 cm)
20.00" x 20.00" x 20.00" (50.8 x 50.8 x 50.8 cm)
5.00" / 15.00" (12.7 cm / 38.1 cm)
32.01 lbs. (14.52 kg) WITH FOAM 25.99 lbs. (11.79 kg) NO FOAM
■ ■
Padded Divider Set Only • Mobility Package • Lid Organizer
IP67 • DEF STAN 81-41/STANAG 4280

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



■ Large 2-person fold down handles

> Shown with Apple flat-screen computer monitor with custom multilayer foam.

[LINK >](#)

0370 CUBE CASE
26.50" x 26.50" x 25.25" (67.3 x 67.3 x 64.1 cm)
24.00" x 24.00" x 24.00" (60.9 x 60.9 x 60.9 cm)
4.50" / 18.00" (11.4 cm / 45.7 cm)
41 lbs. (18.6 kg) WITH FOAM 31.97 lbs. (14.5 kg) NO FOAM
■ ■ ■*
Cube Case Mobility Package • Padded Divider Set • Lid Organizer
IP67 • DEF STAN 81-41/STANAG 4280



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



0500 TRANSPORT CASE



39.95" x 23.45" x 28.65"
(101.4 x 59.5 x 72.7 cm)

34.95" x 18.45" x 25.25"
(88.7 x 46.8 x 64.1 cm)

2.25" / 23.00"
(5.7 cm / 58.4 cm)

58.6 lbs. (26.58 kg) WITH FOAM
50 lbs. (22.68 kg) NO FOAM



Caster Wheel Kit • Pallet Riser Kit
• Document Container Accessory

[LINK >](#)



0450 MOBILE TOOL CHEST

23.95" x 14.75" x 17.95"
(60.8 x 37.5 x 45.6 cm)

20.56" x 10.97" x 12.65"
(52.2 x 27.9 x 32.1 cm)

N/A

33 lbs. (14.97 kg) NO DRAWERS
41.5 lbs. (18.82 kg) WITH DRAWERS




Deep Drawer • Shallow Drawer • Top Tray
• Vertical Tool Pallet • Horizontal Tool Pallet

MIL-STD-810F

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES

[LINK >](#)


> Shown with custom foam solution for tool inventory and preventing Foreign Object Damage (FOD).



Drawer Configurations: Choose all shallow, all deep, or mix and match



Trolley Handle and stable wide track wheeled mobility



Metal Hybrid Double Throw Latches provide additional strength and durability



Two Way Handles: the 0450 can be lifted from the tool chest or transport position





LONG CASES

Similarly sized Pelican™ Storm Case™: iM3100

1700 LONG CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



> Shown with custom foam solution designed for a medical endoscope.



38.12" x 16.00" x 6.12"
(96.8 x 40.6 x 15.5 cm)

35.75" x 13.50" x 5.25"
(90.8 x 34.3 x 13.3 cm)

1.75" / 3.50"
(4.4 cm / 8.9 cm)

16.98 lbs. (7.7 kg) WITH FOAM
16.09 lbs. (7.3 kg) NO FOAM



IP67 · MIL C-4150J
· Def Stan 81-41/STANAG 4280

Similarly sized Pelican™ Storm Case™: iM3200

1720 LONG CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



44.37" x 16.00" x 6.12"
(112.7 x 40.6 x 15.5 cm)

42.00" x 13.50" x 5.25"
(106.6 x 34.3 x 13.3 cm)

1.75" / 3.50"
(4.4 cm / 8.9 cm)

18.96 lbs. (8.6 kg) WITH FOAM
16.76 lbs. (7.6 kg) NO FOAM



DEF STAN 81-41/STANAG 4280



1740 LONG CASE

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



■ Four extra-deep base-to-lid locking cleats that ensure maximum stacking stability



44.16" x 16.09" x 14.00"
(112.1 x 40.9 x 35.5 cm)

40.98" x 12.92" x 12.51"
(104 x 32.8 x 31.8 cm)

2.56" / 9.57"
(6.5 cm / 24.3 cm)

27 lbs. (12.25 kg) WITH FOAM
22 lbs. (9.98 kg) NO FOAM



Document Container

IP65

Similarly sized Pelican Storm Case™: iM3300



[LINK >](#)

1750 LONG CASE

53.00" x 16.00" x 6.12"
(134.6 x 40.6 x 15.5 cm)

EXTERIOR DIMENSIONS

50.50" x 13.50" x 5.25"
(128.2 x 34.3 x 13.3 cm)

INTERIOR DIMENSIONS

1.75" / 3.50"
(4.4 cm / 8.9 cm)

LID/BOTTOM DEPTH

25.57 lbs. (11.6 kg) WITH FOAM
23.59 lbs. (10.7 kg) NO FOAM

WEIGHT



COLORS

AVAILABLE ACCESSORIES

IP67 • DEF STAN 81-41/STANAG 4280

CERTIFICATES



1770 LONG CASE

57.42" x 18.48" x 11.23"
(145.8 x 46.9 x 28.5 cm)

EXTERIOR DIMENSIONS

54.58" x 15.58" x 8.63"
(138.6 x 39.6 x 21.9 cm)

INTERIOR DIMENSIONS

1.88" / 6.75"
(4.8 cm / 17.1 cm)

LID/BOTTOM DEPTH

36 lbs. (16.33 kg) WITH FOAM
29 lbs. (13.15 kg) NO FOAM

WEIGHT



COLORS

AVAILABLE ACCESSORIES

Document Container

CERTIFICATES



[LINK >](#)

**1780RF LONG CASE
(WITH RIFLE FOAM INSERT)**

44.90" x 25.32" x 16.50"
(114 x 64.3 x 41.9 cm)

EXTERIOR DIMENSIONS

42.00" x 22.00" x 15.10"
(106.6 x 55.9 x 38.3 cm)

INTERIOR DIMENSIONS

7.58" / 7.30"
(19.2 cm / 18.5 cm)

LID/BOTTOM DEPTH

53 lbs. (24.04 kg) WITH RIFLE FOAM

WEIGHT



COLORS

AVAILABLE ACCESSORIES

Rigid polyethylene tray option for 12 firearms

CERTIFICATES

Def Stan 81-41/STANAG 4280



- Fits M4, M16 firearms
- Fast loading, lockable metal cross bar
- Rigid polyethylene tray option for 12 firearms
- Detachable halves serve as mobile firearm racks
- Humidity gauge changes color above 40%
- 4 heavy duty wheels for one-man mobility



[LINK >](#)



**1780W HL LONG CASE
(WITH RIFLE HARD LINER INSERT)**

**1780W HL LONG CASE
(WITH RIFLE HARD LINER INSERT)**

44.90" x 25.32" x 16.50"
(114 x 64.3 x 41.9 cm)

EXTERIOR DIMENSIONS

42.00" x 22.00" x 15.10"
(106.6 x 55.9 x 38.3 cm)

INTERIOR DIMENSIONS

7.58" / 7.30"
(19.2 cm / 18.5 cm)

LID/BOTTOM DEPTH

68.4 lbs. (31.03 kg)

WEIGHT



COLORS

AVAILABLE ACCESSORIES

Hi-density foam tray option for 10 firearms with scopes

CERTIFICATES

Def Stan 81-41/STANAG 4280



- Fits M4, M16 firearms
- Fast loading, lockable metal cross bar
- Hi-density foam tray option for 10 firearms with scopes
- Detachable halves serve as mobile firearm racks
- Humidity gauge changes color above 40%
- 4 heavy duty wheels for one-man mobility



[LINK >](#)

PADDED DIVIDERS

Main dividers that span the length of the case are complimented by varying sizes of subdividers. Velcro® edges make it easy to reposition these dividers into the spaces you need. See individual accessory configurations product listing for availability.



1510 PELICAN™ CASE

- Cat. No. 1514
Case with divider
- Cat. No. 1515
divider set only



1610 PELICAN™ CASE

- Cat. No. 1614
Case with divider
- Cat. No. 1615
divider set only

PADDED CASE DIVIDER OPTIONS

CASE	LAYERS	CASE WITH DIVIDERS (CAT. NO.)	DIVIDER SET ONLY (CAT. NO.)
1450	1	1454	1455
1500	1	1504	1505
1510	1	1514	1515
1520	1	1524	1525
1550	1	1554	1555
1560	1	1564	1565
1600	2	1604	1605
1610	1	1614	1615
1620	1	1624	1625
1630	2	1634	1635
1640	2	1644	1645
1650	1	1654	1655
1660	2	1664	1665
1690	2	1694	1695
0340	2	0344	0345
0350	2	0354	0355
0370	2	0374	0375

LID ORGANIZERS

Made of leather or waterproof ballistic nylon with nylon zippers. A multitude of pockets in various sizes protect and keep your gear organized. Installs with Velcro® strips (included) or self tapping screws.

■ **Mesh Lid Organizers** present an array of compartments with mesh nylon zipper pockets to house, protect, and organize various gear.

■ **Computer Lid Organizers** are styled with deep expandable folder pockets and sleeves for various office-attaché style components.

■ **Photo Lid Organizers** have multiple compartments including an assortment of elastic strapping and mesh nylon zipper pockets to organize and protect photo equipment.

■ **EMS Lid Organizer** is a specially engineered lid organizer with clear pockets to quickly spot medical supplies in any emergency.



CASE	MESH	COMPUTER	PHOTO	EMS
1430			1439 Photo ^A	
1440	1449 Mesh ^A			
1490		1498 Computer ^B		
1495		1495 Computer ^B		
1500	1509 Mesh		1508 Photo	1505 EMS ^B
1510	1519 Mesh ^A			
1520	1509 Mesh		1508 Photo ^B	
1550				1555 EMS ^B
1560	1569 Mesh			1555 EMS ^A
1600	1609 Mesh ^B			
1610	1609 Mesh ^B			
1620	1609 Mesh ^B			
1630	1639 Mesh ^A			
1640	0379 Mesh ^A			
1650	1659 Mesh ^A			
1660	1669 Mesh ^A			
1690	1699 Mesh ^A			
0340	0349 Mesh ^A			
0350	0359 Mesh ^A			
0370	0379 Mesh ^A			

A= With mounting screws **B=** With mounting Velcro®

CASE	EXTERIOR	INTERIOR	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	COLORS	BUOYANCY MAXIMUM	TEMPERATURE RANGE (MIN/MAX)	CERTIFICATES
0910	5.00" x 3.30" x 0.95" (12.7 x 8.4 x 2.4 cm)	4.20" x 2.30" x 0.56" (10.7 x 5.8 x 1.4 cm)	0.26" (0.7 cm)	0.30" (0.8 cm)	.28 lbs. (0.13 kg)	.17 lbs. (0.08 kg)	■	n/a	n/a	-
0940	5.00" x 3.30" x 0.95" (12.7 x 8.4 x 2.4 cm)	4.20" x 2.30" x 0.56" (10.7 x 5.8 x 1.4 cm)	0.26" (0.7 cm)	0.30" (0.8 cm)	.28 lbs. (0.13 kg)	.17 lbs. (0.08 kg)	■	n/a	n/a	-
1010	5.88" x 4.06" x 2.12" (14.9 x 10.3 x 5.4 cm)	4.37" x 2.87" x 1.68" (11.1 x 7.3 x 4.3 cm)	0.69" (1.8 cm)	0.94" (2.4 cm)	0.41 lbs. (0.19 kg)	0.4 lbs. (0.18 kg)	■ ■ ■ ■	0.51 lbs. (0.23 kg)	-10 / 199.4° F (-23 / 93° C)	IP67
i1010	5.88" x 4.06" x 2.12" (14.9 x 10.3 x 5.4 cm)	4.37" x 2.87" x 1.68" (11.1 x 7.3 x 4.3 cm)	0.69" (1.8 cm)	0.94" (2.4 cm)	0.41 lbs. (0.19 kg)	0.4 lbs. (0.18 kg)	■ ■ ■ ■ ■ ■ ■	0.51 lbs. (0.23 kg)	-10 / 199.4° F (-23 / 93° C)	-
1015	6.68" x 3.88" x 1.86" (17 x 9.9 x 4.7 cm)	5.14" x 2.64" x 1.37" (13.1 x 6.7 x 3.5 cm)	0.43" (1.1 cm)	0.94" (2.4 cm)	n/a	0.46 lbs. (0.21 kg)	■ ■	1.2 lbs. (0.54 kg)	n/a	
i1015	6.68" x 3.88" x 1.86" (17 x 9.9 x 4.7 cm)	5.14" x 2.64" x 1.37" (13.1 x 6.7 x 3.5 cm)	0.43" (1.1 cm)	0.94" (2.4 cm)	n/a	0.46 lbs. (0.21 kg)	■	1.2 lbs. (0.54 kg)	n/a	
1020	6.82" x 4.75" x 2.12" (16.2 x 12.1 x 5.4 cm)	5.31" x 3.56" x 1.68" (13.5 x 9 x 4.3 cm)	0.69" (1.8 cm)	0.94" (2.4 cm)	0.56 lbs. (0.25 kg)	0.55 lbs. (0.25 kg)	■ ■ ■ ■	0.75 lbs. (0.34 kg)	-10 / 199.4° F (-23 / 93° C)	IP67
1030	7.50" x 3.87" x 2.43" (19 x 9.8 x 6.2 cm)	6.37" x 2.62" x 2.06" (16.2 x 6.7 x 5.2 cm)	0.69" (1.8 cm)	1.25" (3.2 cm)	0.61 lbs. (0.28 kg)	0.6 lbs. (0.27 kg)	■ ■ ■ ■	0.99 lbs. (0.45 kg)	-10 / 199.4° F (-23 / 93° C)	IP67
1040	7.50" x 5.06" x 2.12" (19 x 12.8 x 5.4 cm)	6.50" x 3.87" x 1.75" (16.5 x 9.8 x 4.4 cm)	0.69" (1.8 cm)	0.94" (2.4 cm)	0.71 lbs. (0.32 kg)	0.7 lbs. (0.32 kg)	■ ■ ■ ■	1.26 lbs. (0.57 kg)	-10 / 199.4° F (-23 / 93° C)	IP67
1050	7.50" x 5.06" x 3.12" (19 x 12.8 x 7.9 cm)	6.31" x 3.68" x 2.75" (16 x 9.3 x 7 cm)	0.69" (1.8 cm)	1.94" (4.9 cm)	0.83 lbs. (0.38 kg)	0.81 lbs. (0.37 kg)	■ ■ ■ ■	1.74 lbs. (0.79 kg)	-10 / 199.4° F (-23 / 93° C)	IP67
1060	9.37" x 5.56" x 2.62" (23.8 x 14.1 x 6.7 cm)	8.25" x 4.25" x 2.25" (20.9 x 10.8 x 5.7 cm)	0.69" (1.8 cm)	1.44" (3.7 cm)	1.03 lbs. (0.47 kg)	1 lbs. (0.45 kg)	■ ■ ■ ■	2.49 lbs. (1.13 kg)	-10 / 199.4° F (-23 / 93° C)	IP67
1120	8.12" x 6.56" x 3.56" (20.6 x 16.7 x 9 cm)	7.25" x 4.75" x 3.06" (18.4 x 12.1 x 7.8 cm)	0.50" (1.3 cm)	2.56" (6.5 cm)	1.23 lbs. (0.56 kg)	1.17 lbs. (0.53 kg)	■ ■ ■ ■ ■ ■ ■*	5 lbs. (2.27 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1150	9.12" x 7.56" x 4.37" (23.2 x 19.2 x 11.1 cm)	8.18" x 5.68" x 3.62" (20.8 x 14.4 x 9.2 cm)	0.75" (1.9 cm)	2.87" (7.3 cm)	1.98 lbs. (0.9 kg)	1.76 lbs. (0.8 kg)	■ ■ ■ ■ ■ ■ ■*	8 lbs. (3.63 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1170	11.64" x 8.34" x 3.78" (29.6 x 21.2 x 9.6 cm)	10.54" x 6.04" x 3.16" (26.8 x 15.3 x 8 cm)	1.08" (2.7 cm)	2.08" (5.3 cm)	2.10 lbs. (0.95 kg)	1.96 lbs. (0.89 kg)	■ ■ ■ ■ ■ ■ ■*	7.25 lbs. (3.29 kg)	-40 / 210° F (-40 / 99° C)	IP67
1200	10.62" x 9.68" x 4.87" (27 x 24.6 x 12.4 cm)	9.25" x 7.12" x 4.12" (23.5 x 18.1 x 10.5 cm)	1.18" (3 cm)	2.93" (7.4 cm)	2.87 lbs. (1.3 kg)	2.65 lbs. (1.2 kg)	■ ■ ■ ■ ■ ■ ■*	12.02 lbs. (5.45 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1300	10.62" x 9.68" x 6.87" (27 x 24.6 x 17.4 cm)	9.87" x 7.00" x 6.12" (25.1 x 17.8 x 15.5 cm)	1.18" (3 cm)	4.93" (12.5 cm)	3.53 lbs. (1.6 kg)	3.09 lbs. (1.4 kg)	■ ■ ■ ■ ■ ■ ■*	12.35 lbs. (5.6 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1400	13.37" x 11.62" x 6.00" (33.9 x 29.5 x 15.2 cm)	11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm)	1.18" (3 cm)	4.00" (10.2 cm)	4.41 lbs. (2 kg)	3.97 lbs. (1.8 kg)	■ ■ ■ ■ ■ ■ ■*	20.06 lbs. (9.1 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/ STANAG 4280 · ATA 300

All Pelican Cases (except Micro, Memory Card cases, 1780W and 1780WRF cases.) come standard with Pick N Pluck™ foam.

Long Cases come with solid foam (Pick N Pluck™ is not available). To order Pelican Cases without foam add NF to the end of the catalog number.

Most Pelican Cases have a 2 degree draft angle with a bottom radius of 0.66" +/- 0.020" Length and width are measured at the base of the case from the top of the radius.

Depth is measured at the center of the case and includes lid depth**

*OD Green available upon request.
** Refer to pelicanoem.com, and download CAD drawings for specifications on desired case.

CASE	EXTERIOR	INTERIOR	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	COLORS	BUOYANCY MAXIMUM	TEMPERATURE RANGE (MIN/MAX)	CERTIFICATES
1450	16.00" x 13.00" x 6.87" (40.6 x 33 x 17.4 cm)	14.62" x 10.18" x 6.00" (37.1 x 25.8 x 15.2 cm)	1.75" (4.4 cm)	4.25" (10.8 cm)	6.39 lbs. (2.9 kg)	5.51 lbs. (2.5 kg)		30 lbs. (13.61 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/ STANAG 4280
1500	18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)	16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)	1.81" (4.6 cm)	4.31" (10.9 cm)	7.05 lbs. (3.2 kg)	6.39 lbs. (2.9 kg)		50 lbs. (22.68 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/ STANAG 4280 · ATA 300
1510	22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)	19.75" x 11.00" x 7.60" (50.1 x 27.9 x 19.3 cm)	1.79" (4.5 cm)	5.79" (14.7 cm)	13.6 lbs. (6.17 kg)	11.99 lbs. (5.44 kg)		64.15 lbs. (29.1 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1520	19.78" x 15.77" x 7.41" (50.2 x 40 x 18.8 cm)	18.06" x 12.89" x 6.72" (45.9 x 32.7 x 17.1 cm)	1.79" (4.5 cm)	4.93" (12.5 cm)	9.35 lbs. (4.24 kg)	8.29 lbs. (3.76 kg)		63 lbs. (28.58 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/ STANAG 4280
1550	20.62" x 16.87" x 8.12" (52.4 x 42.8 x 20.6 cm)	18.43" x 14.00" x 7.62" (46.8 x 35.5 x 19.3 cm)	1.75" (4.4 cm)	5.87" (14.9 cm)	11.9 lbs. (5.4 kg)	10.58 lbs. (4.8 kg)		69.89 lbs. (31.7 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/STAN- AG 4280 · ATA 300
1080	13.75" x 10.95" x 2.55" (34.9 x 27.8 x 6.5 cm)	12.80" x 9.80" x 1.70" (32.5 x 24.9 x 4.3 cm)	0.85" (2.2 cm)	0.85" (2.2 cm)	2.89 lbs. (1.31 kg)	2.76 lbs. (1.25 kg)		10 lbs. (4.54 kg)	-10 / 200° F (-23 / 93° C)	IP67
1090	15.83" x 13.10" x 2.86" (40.2 x 33.3 x 7.3 cm)	15.00" x 11.32" x 1.92" (38.1 x 28.7 x 4.9 cm)	0.96" (2.4 cm)	0.96" (2.4 cm)	3.32 lb (1.51 Kg)	2.98 lb (1.35 Kg)		11.5 lbs. (5.22 kg)	-10 / 200° F (-23 / 93° C)	IP67
1430	16.93" x 9.61" x 13.42" (43 x 24.4 x 34.1 cm)	13.56" x 5.76" x 11.70" (34.4 x 14.6 x 29.7 cm)	2.00" (5.1 cm)	9.70" (24.6 cm)	6.5 lbs. (2.95 kg)	5.6 lbs. (2.54 kg)		59 lbs. (26.8 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1440	19.70" x 12.00" x 18.00" (50 x 30.5 x 45.7 cm)	17.10" x 7.50" x 16.00" (43.4 x 19 x 40.6 cm)	2.00" (5.1 cm)	14.00" (35.5 cm)	16.5 lbs. (7.48 kg)	14.5 lbs. (6.58 kg)		150 lbs. (68.0 kg)	-40 / 210° F (-40 / 99° C)	· IP67 · Def Stan 81-41/STANAG 4280
1470	16.68" x 13.06" x 4.37" (42.4 x 33.2 x 11.1 cm)	15.62" x 10.43" x 3.75" (39.7 x 26.5 x 9.5 cm)	1.37" (3.5 cm)	2.37" (6 cm)	5.51 lbs. (2.5 kg)	4.28 lbs. (1.94 kg)		25 lbs. (11.3 kg)	-40 / 210° F (-40 / 99° C)	IP57 · MIL C-4150J
1490	19.87" x 13.93" x 4.68" (50.4 x 35.4 x 11.9 cm)	17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)	1.50" (3.8 cm)	2.62" (6.7 cm)	6.5 lbs. (2.95 kg)	5.47 lbs. (2.48 kg)		41 lbs. (18.6 kg)	-40 / 210° F (-40 / 99° C)	IP57 · Def Stan 81-41/STANAG 4280
1495	21.62" x 17.25" x 4.87" (54.9 x 43.8 x 12.4 cm)	18.87" x 13.12" x 3.81" (47.9 x 33.3 x 9.7 cm)	1.12" (2.8 cm)	2.68" (6.8 cm)	8.37 lbs. (3.8 kg)	7.23 lbs. (3.28 kg)		45.2 lbs. (20.5 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1560	22.06" x 17.93" x 10.43" (56 x 45.5 x 26.5 cm)	20.37" x 15.43" x 9.00" (51.7 x 39.2 x 22.9 cm)	2.00" (5.1 cm)	7.00" (17.8 cm)	17 lbs. (7.71 kg)	104 lbs. (47.17 kg)		115 lbs. (52.16 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1600	24.25" x 19.43" x 8.68" (61.6 x 49.3 x 22 cm)	21.43" x 16.50" x 7.87" (54.4 x 41.9 x 20 cm)	1.75" (4.4 cm)	6.12" (15.5 cm)	14.11 lbs. (6.4 kg)	13 lbs. (5.9 kg)		117 lbs. (53.07 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/STAN- AG 4280 · ATA 300
1610	24.83" x 19.69" x 11.88" (63 x 50 x 30.2 cm)	21.78" x 16.69" x 10.62" (55.3 x 42.4 x 27 cm)	2.06" (5.2 cm)	8.50" (21.6 cm)	22.49 lbs. (10.2 kg)	20 lbs. (9.07 kg)		120 lbs. (54.4 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1620	24.81" x 19.37" x 13.87" (63 x 49.2 x 35.2 cm)	21.37" x 16.31" x 12.56" (54.3 x 41.4 x 31.9 cm)	2.06" (5.2 cm)	10.50" (26.7 cm)	26.01 lbs. (11.8 kg)	24.47 lbs. (11.1 kg)		150 lbs. (68 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/ STANAG 4280
1630	31.28" x 24.21" x 17.48" (79.4 x 61.5 x 44.4 cm)	27.70" x 20.98" x 15.50" (70.3 x 53.3 x 39.4 cm)	3.25" (8.3 cm)	12.14" (30.8 cm)	36 lbs. (16.33 kg)	31 lbs. (14.06 kg)		350 lbs. (159 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280

*OD Green available upon request

CASE	EXTERIOR	INTERIOR	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	COLORS	BUOYANCY MAXIMUM	TEMPERATURE RANGE (MIN/ MAX)	CERTIFICATES
1640	27.20" x 27.50" x 16.30" (69.1 x 69.8 x 41.4 cm)	23.70" x 24.00" x 13.90" (60.2 x 60.9 x 35.3 cm)	2.00" (5.1 cm)	11.90" (30.2 cm)	38 lbs. (17.24 kg)	34 lbs. (15.42 kg)		365 lbs. (166 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1650	31.59" x 20.47" x 12.45" (80.2 x 52 x 31.6 cm)	28.57" x 17.52" x 10.65" (72.5 x 44.5 x 27 cm)	1.87" (4.7 cm)	8.62" (21.9 cm)	28 lbs. (12.7 kg)	24 lbs. (10.9 kg)		181 lbs. (82.1 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/ STANAG 4280 · ATA 300
1660	31.59" x 22.99" x 19.48" (80.2 x 58.4 x 49.5 cm)	28.20" x 19.66" x 17.63" (71.6 x 49.9 x 44.8 cm)	3.50" (8.9 cm)	14.12" (35.9 cm)	42.16 lbs. (19.1 kg)	34.16 lbs. (15.5 kg)		350 lbs. (159 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1690	33.36" x 28.44" x 18.23" (84.7 x 72.2 x 46.3 cm)	30.01" x 25.02" x 16.01" (76.2 x 63.5 x 40.6 cm)	2.86" (7.3 cm)	12.14" (30.8 cm)	43 lbs. (19.5 kg)	34 lbs. (15.42 kg)		410 lbs. (186 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1730	37.05" x 27.20" x 14.37" (94.1 x 69.1 x 36.5 cm)	34.00" x 24.00" x 12.50" (86.3 x 60.9 x 31.7 cm)	2.50" (6.3 cm)	10.00" (25.4 cm)	38 lbs. (23.59 kg)	30 lbs. (19.96 kg)		416 lbs. (189 kg)	-40 / 210° F (-40 / 99° C)	IP67
0340	20.50" x 20.50" x 19.25" (52 x 52 x 48.9 cm)	18.00" x 18.00" x 18.00" (45.7 x 45.7 x 45.7 cm)	4.00" (10.2 cm)	12.50" (31.7 cm)	29.76 lbs. (13.5 kg)	24 lbs. (10.89 kg)		220 lbs. (100 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
0350	22.50" x 22.43" x 21.25" (57.1 x 56.9 x 54 cm)	20.00" x 20.00" x 20.00" (50.8 x 50.8 x 50.8 cm)	5.00" (12.7 cm)	15.00" (38.1 cm)	32.01 lbs. (14.52 kg)	25.99 lbs. (11.79 kg)		269 lbs. (122 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
0370	26.50" x 26.50" x 25.25" (67.3 x 67.3 x 64.1 cm)	24.00" x 24.00" x 24.00" (60.9 x 60.9 x 60.9 cm)	4.50" (11.4 cm)	18.00" (45.7 cm)	41 lbs. (18.6 kg)	31.97 lbs. (14.5 kg)		465 lbs. (211 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
0450	23.95" x 14.75" x 17.95" (60.8 x 37.5 x 45.6 cm)	20.56" x 10.97" x 12.65" (52.2 x 27.9 x 32.1 cm)	NA	NA	41.5 lbs. (18.82 kg) ^A	33 lbs. (14.97 kg) ^B				MIL-STD-810F
0500	39.95" X 23.45" X 28.65" (101.4 X 59.5 X 72.7 cm)	34.95" X 18.45" X 25.25" (88.7 X 46.8 X 64.1 cm)	2.25" (5.7 cm)	23.00" (58.4 cm)	58.6 lbs. (26.58 kg)	50 lbs. (22.68 kg)		780 lbs. (354 kg)	-40 / 210° F (-40 / 99° C)	
1700	38.12" x 16.00" x 6.12" (96.8 x 40.6 x 15.5 cm)	35.75" x 13.50" x 5.25" (90.8 x 34.3 x 13.3 cm)	1.75" (4.4 cm)	3.50" (8.9 cm)	16.98 lbs. (7.7 kg)	16.09 lbs. (7.3 kg)		137 lbs. (62.1 kg)	-40 / 210° F (-40 / 99° C)	IP67 · MIL C-4150J · Def Stan 81-41/STANAG 4280
1720	44.37" x 16.00" x 6.12" (112.7 x 40.6 x 15.5 cm)	42.00" x 13.50" x 5.25" (106.6 x 34.3 x 13.3 cm)	1.75" (4.4 cm)	3.50" (8.9 cm)	18.96 lbs. (8.6 kg)	16.76 lbs. (7.6 kg)		161 lbs. (73 kg)	-40 / 210° F (-40 / 99° C)	· Def Stan 81-41/STANAG 4280
1740	44.16" x 16.09" x 14.00" (112.1 x 40.9 x 35.5 cm)	40.98" x 12.92" x 12.13" (104 x 32.8 x 30.8 cm)	2.56" (6.5 cm)	9.57" (24.3 cm)	27 LBS. (12.25 KG)	22 LBS. (9.98 KG)		267 LBS. (121.11 KG)	-40 / 210° F (-40 / 99° C)	IP65
1750	53.00" x 16.00" x 6.12" (134.6 x 40.6 x 15.5 cm)	50.50" x 13.50" x 5.25" (128.2 x 34.3 x 13.3 cm)	1.75" (4.4 cm)	3.50" (8.9 cm)	25.57 lbs. (11.6 kg)	23.59 lbs. (10.7 kg)		187 lbs. (85 kg)	-40 / 210° F (-40 / 99° C)	IP67 · Def Stan 81-41/STANAG 4280
1770	57.42" x 18.48" x 11.23" (145.8 x 46.9 x 28.5 cm)	54.58" x 15.58" x 8.63" (138.6 x 39.6 x 21.9 cm)	1.88" (4.8 cm)	6.75" (17.1 cm)	36 lbs. (16.33 kg)	29 lbs. (13.15 kg)		280 lbs. (127.01 kg)		
1780	44.90" x 25.32" x 16.50" (114 x 64.3 x 41.9 cm)	42.00" x 22.00" x 15.10" (106.6 x 55.9 x 38.3 cm)	7.58" (19.2 cm)	7.30" (18.5 cm)	49 lbs. (22.23 kg)	38.4 lbs. (17.42 kg)		500 lbs. (226.8 kg)	-40 / 210° F (-40 / 99° C)	· Def Stan 81-41/STANAG 4280

*OD Green available upon request

CASE	FOAM SET	OPTIONAL CONFIGURATIONS AND ACCESSORIES					
		Padded Dividers	Panel Frame	Lid Organizers	Nameplate	Replacement Liner	Other
1010	1012	-	-	-	-	-	1011 Replacement Liner
i1010	-	-	-	-	-	-	-
1015	-	-	-	-	-	-	-
i1015	-	-	-	-	-	-	-
1020	1022	-	-	-	-	-	1021 Replacement Liner
1030	1032	-	-	-	-	-	1031 Replacement Liner
1040	1042	-	-	-	-	-	1041 Replacement Liner
1050	1052	-	-	-	-	-	1051 Replacement Liner
1060	1062	-	-	-	-	-	1061 Replacement Liner
1120	1121	-	1120PF	-	-	-	-
1150	1151	-	1150PF	-	-	-	-
1170	1171	-	-	-	-	-	-
1200	1201	-	1200PF	-	-	-	-
1300	1301	-	1300PF	-	-	-	-
1400	1401	-	1400PF	-	YES	-	-

CASE	FOAM SET	OPTIONAL CONFIGURATIONS AND ACCESSORIES				
		Padded Dividers	Panel Frame	Lid Organizers	Nameplate	Other
1450	1451	1455	1450PF	-	YES	1500IP Instapak Quick® RT
1500	1501	1505	1500PF	1508	YES	-
1510	1511	1515		1519	YES	1520IP Instapak Quick® RT
1520	1521	1525	1520PF	1509	YES	-
1550	1551 1552 Pick N Pluck™	1555	1550PF		YES	-
1080	1081	-	-	-	-	-
1090	1091	-	-	-	-	-
1430	1431	1435 1436 Office	1430PF	1439	YES	1432 Strap Kit • 1438 Boat Bracket Kit 1550IP Instapak Quick® RT
1440	1441	1445 Utility w/LidOrg 1446 Office w/ Lid Org		1449 Office	YES	1520IP Instapak Quick® RT
1470	1471	-	1470PF		YES	1472 Shoulder Strap
1490	1491	-	1490PF	1498	YES	1472 Shoulder Strap 1499C Computer Insert. Bottom
1495	1481 1495HDF	-	-	1495ALI Attache/ /Computer Lid Insert	YES	1472 Shoulder Strap 1495CBI Computer Insert. Bottom
1560	1561 1562 Pick N Pluck™	1565		1569	YES	1550IP Instapak Quick® RT
1600	1611 1612 Pick N Pluck™	1605	-	1609	YES	-
1610	1611 1612 Pick N Pluck™	1615	-	1609	YES	1600IP Instapak Quick® RT
1620	1621 1622 Pick N Pluck™	1625	-	1609	YES	1600IP Instapak Quick® RT
1630	1631 1632 Pick N Pluck™	1635	-	1639	YES	-
1640	1641 1642 Pick N Pluck™	1645	-	0379	YES	-

CASE	FOAM SET	OPTIONAL CONFIGURATIONS AND ACCESSORIES				
		Padded Dividers	Panel Frame	Lid Organizers	Nameplate	Other
1650	1651 1652 Pick N Pluck™	1655	-	1659	YES	-
1660	1661 1662 Pick N Pluck™	1665	-	1669	YES	-
1690	1691 1692 Pick N Pluck™	1695	-	1699	YES	-
0340	0341	0345	-	0349	YES	-
0350	0351	0355	-	0359	YES	0357 Mobility Kit
0370	0371	0375	-	0379	YES	0357 Mobility Kit
0450	-	-	-	-	-	0455DD Deep Drawer • 0455DS Shallow Drawer • 0455TT Top Tray • 0456 Vertical Tool Pallet • 0457 Horizontal Tool Pallet
0500	0501	-	-	-	YES	Document Container 0507 Caster Wheel Kit • 0508 Pallet Riser Kit
1700	1701	-	-	-	-	-
1720	1721	-	-	-	YES	-
1740	1741	-	-	-	-	1630DC Document Container Accessory
1750	1751	-	-	-	YES	-
1770	1771	-	-	-	YES	1630DC Document Container Accessory
1780	1781 1782 Pick N Pluck™	-	-	-	YES	-



■ PELICAN™ STORM CASE™ SECTION

iM2050 PELICAN™
STORM CASE™




iM2300 PELICAN™
STORM CASE™



iM2620 PELICAN™
STORM CASE™



iM3220 PELICAN™
STORM CASE™





A NEW WAY TO OPEN A PELICAN™ CASE. 23 NEW SIZES.



RESILIENT HPX
High impact shell.

RUGGED IN-LINE WHEELS
Ball bearing wheels provide low-friction, low drag rolling for easy movement of heavy loads. Available on select models.

DOUBLE-LAYERED, SOFT-GRIP HANDLES
Tested and proven strong, these comfort grips withstand heavy loads.



PRESS & PULL LATCHES
Unique Press & Pull Latches open with the push of a button, yet stay closed securely under impact or stress

MOLDED IN HASPS
Unbreakable molded-in hasps, allow you to add standard size padlocks, offering another measure of security.

ROUNDED DEFLECTIVE CORNERS
The corners of a Pelican™ Storm Case™ deflect and absorb impact, dispensing kinetic energy throughout the case to ensure contents remain safe drop after drop.

VORTEX™ VALVE
Permanently attached Vortex™ valve automatically adjusts air pressure without letting in water, and won't unscrew from the case.

> INTRODUCING THE PELICAN™ STORM CASE™

Lightweight and rugged, the Pelican™ Storm Case™ is the result of years of perfecting and testing in both the laboratory and the field. From the proprietary HPX™ plastic resin that is tough during low-temperature impact testing, to the patented Press & Pull latch that opens easily. Every facet of these lightweight cases has been created to defend your vital gear.

The Pelican™ Storm Case™ has been designed to meet or exceed military testing requirements and will protect your gear. Many are airline size appropriate, and all are internationally shippable.

COLORS



BLACK



YELLOW



OD GREEN



SMALL CASES

Similarly sized Pelican™ Case: 1200



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



[LINK >](#)

IM2050 PELICAN™ STORM CASE™

11.80" x 9.80" x 4.70" (30 x 24.9 x 11.9 cm)
9.50" x 7.50" x 4.25" (24.1 x 19 x 10.8 cm)
1.50" / 2.75" (3.8 cm / 7 cm)
3 lbs. (1.36 kg) WITH FOAM 2.7 lbs. (1.22 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Padded Dividers
MIL-STD-810F • FED-STD-101C • ATA 300

Similarly sized Pelican™ Case: 1300



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



> Shown with panel frame option for special application usage.

[LINK >](#)

IM2075 PELICAN™ STORM CASE™

11.80" x 9.80" x 7.70" (30 x 24.9 x 19.6 cm)
9.50" x 7.50" x 7.25" (24.1 x 19 x 18.4 cm)
1.50" / 5.75" (3.8 cm / 14.6 cm)
3.7 lbs. (1.68 kg) WITH FOAM 3.3 lbs. (1.5 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Padded Dividers
MIL-STD-810F • FED-STD-101C • ATA 300

Similarly sized Pelican™ Case: 1400



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



[LINK >](#)

IM2100 PELICAN™ STORM CASE™

14.20" x 11.40" x 6.50" (36.1 x 28.9 x 16.5 cm)
13.00" x 9.20" x 6.00" (33 x 23.4 x 15.2 cm)
2.00" / 4.00" (5.1 cm / 10.2 cm)
4.9 lbs. (2.22 kg) WITH FOAM 4.2 lbs. (1.91 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Padded Dividers
MIL-STD-810F • FED-STD-101C • ATA 300

Case contents not included

Similarly sized Pelican™ Case: 1450



NEW

iM2200 PELICAN™ STORM CASE™

16.20" x 12.70" x 6.60" (41.1 x 32.2 x 16.8 cm)	EXTERIOR DIMENSIONS
15.00" x 10.50" x 6.00" (38.1 x 26.7 x 15.2 cm)	INTERIOR DIMENSIONS
2.00" / 4.00" (5.1 cm / 10.2 cm)	LID/BOTTOM DEPTH
6.1 lbs. (2.77 kg) WITH FOAM 4.9 lbs. (2.22 kg) NO FOAM	WEIGHT
■ ■	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

[LINK >](#)

Similarly sized Pelican™ Case: 1500



NEW

> Shown with custom foam solution.

iM2300 PELICAN™ STORM CASE™

18.20" x 13.40" x 6.70" (46.2 x 34 x 17 cm)	EXTERIOR DIMENSIONS
17.00" x 11.70" x 6.20" (43.2 x 29.7 x 15.7 cm)	INTERIOR DIMENSIONS
2.00" / 4.20" (5.1 cm / 10.7 cm)	LID/BOTTOM DEPTH
7.1 lbs. (3.22 kg) WITH FOAM 5.9 lbs. (2.68 kg) NO FOAM	WEIGHT
■ ■ ■	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

[LINK >](#)



NEW

iM2306 PELICAN™ STORM CASE™

18.20" x 8.40" x 6.70" (46.2 x 21.3 x 17 cm)	EXTERIOR DIMENSIONS
17.00" x 6.30" x 6.20" (43.2 x 16 x 15.7 cm)	INTERIOR DIMENSIONS
2.00" / 4.20" (5.1 cm / 10.7 cm)	LID/BOTTOM DEPTH
4.7 lbs. (2.13 kg) WITH FOAM 4.3 lbs. (1.95 kg) NO FOAM	WEIGHT
■ ■	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

[LINK >](#)

*Lid Organizer - See Pelican Storm Lid Organizer section for available Lid Organizer styles. Case contents not included.



MEDIUM CASES




NEW

- Two Integrated Key Lockable Latches
- Integrated Lid Stay
- Meets Carry-on Regulations

> Shown with Padded Shoulder Strap & Computer Tray.
Cat. No. *iM2370-X0003*

[LINK >](#)

iM2370 PELICAN™ STORM CASE™ | LAPTOP CASE

20.00" x 14.70" x 5.80" (50.8 x 37.3 x 14.7 cm)	EXTERIOR DIMENSIONS
18.20" x 12.10" x 5.20" (46.2 x 30.7 x 13.2 cm)	INTERIOR DIMENSIONS
1.70" / 3.50" (4.3 cm / 8.9 cm)	LID/BOTTOM DEPTH
7.2 lbs. (3.27 kg) WITH FOAM 5.7 lbs. (2.59 kg) NO FOAM	WEIGHT
	COLORS
Lid Stay • Shoulder Strap • Computer Tray • Padded Dividers • Lid Organizer*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES


Similarly sized Pelican™ Case: 1510 & 1510 LOC



NEW

[LINK >](#)

iM2500 PELICAN™ STORM CASE™ | CARRY ON CASE

21.70" x 14.10" x 8.90"	EXTERIOR DIMENSIONS
20.50" x 11.50" x 7.20" (52 x 29.2 x 18.3 cm)	INTERIOR DIMENSIONS
2.00" / 5.20" (5.1 cm / 13.2 cm)	LID/BOTTOM DEPTH
13.7 lbs. (6.21 kg) WITH FOAM 11.1 lbs. (5.03 kg) NO FOAM	WEIGHT
	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

Similarly sized Pelican™ Case: 1520




NEW

> Shown with padded divider.
Cat. No. *iM2400-X0002*

[LINK >](#)

iM2400 PELICAN™ STORM CASE™

19.20" x 15.20" x 7.30" (48.7 x 38.6 x 18.5 cm)	EXTERIOR DIMENSIONS
18.00" x 13.00" x 6.70" (45.7 x 33 x 17 cm)	INTERIOR DIMENSIONS
2.00" / 4.70" (5.1 cm / 11.9 cm)	LID/BOTTOM DEPTH
7.8 lbs. (3.54 kg) WITH FOAM 6.5 lbs. (2.95 kg) NO FOAM	WEIGHT
	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizers*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES


Similarly sized Pelican™ Case: 1550



NEW

[LINK >](#)

iM2600 PELICAN™ STORM CASE™

21.20" x 16.00" x 8.30" (53.8 x 40.6 x 21.1 cm)	EXTERIOR DIMENSIONS
20.00" x 14.00" x 7.70" (50.8 x 35.5 x 19.6 cm)	INTERIOR DIMENSIONS
2.00" / 5.70" (5.1 cm / 14.5 cm)	LID/BOTTOM DEPTH
11.6 lbs. (5.26 kg) WITH FOAM 8.5 lbs. (3.86 kg) NO FOAM	WEIGHT
	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES



NEW

[LINK >](#)

iM2450 PELICAN™ STORM CASE™

19.20" x 15.20" x 9.00" (48.7 x 38.6 x 22.9 cm)	EXTERIOR DIMENSIONS
18.00" x 13.00" x 8.40" (45.7 x 33 x 21.3 cm)	INTERIOR DIMENSIONS
2.00" / 7.00" (5.1 cm / 17.8 cm)	LID/BOTTOM DEPTH
8.9 lbs. (4.04 kg) WITH FOAM 7.4 lbs. (3.36 kg) NO FOAM	WEIGHT
	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizers*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES




NEW

■ Telescoping Handle

> Shown with padded divider.
Cat. No. *iM2620-X0002*

[LINK >](#)

iM2620 PELICAN™ STORM CASE™

21.20" x 16.00" x 10.60" (53.8 x 40.6 x 26.9 cm)	EXTERIOR DIMENSIONS
20.00" x 14.00" x 10.00" (50.8 x 35.5 x 25.4 cm)	INTERIOR DIMENSIONS
2.00" / 8.00" (5.1 cm / 20.3 cm)	LID/BOTTOM DEPTH
14.5 lbs. (6.58 kg) WITH FOAM 12.5 lbs. (5.67 kg) NO FOAM	WEIGHT
	COLORS
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*	AVAILABLE ACCESSORIES
MIL-STD-810F • FED-STD-101C • ATA 300	CERTIFICATES

*Lid Organizer - See Pelican Storm Lid Organizer section for available Lid Organizer styles

Case contents not included

LARGE CASES



Similarly sized Pelican™ Case: 1610

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



iM2720 PELICAN™ STORM CASE™

24.60" x 19.70" x 11.70" (62.5 x 50 x 29.7 cm)
22.00" x 17.00" x 10.00" (55.9 x 43.2 x 25.4 cm)
2.00" / 8.00" (5.1 cm / 20.3 cm)
22 lbs. (9.98 kg) WITH FOAM 16.8 lbs. (7.62 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*
MIL-STD-810F • FED-STD-101C • ATA 300

Similarly sized Pelican™ Case: 1620

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



iM2750 PELICAN™ STORM CASE™

24.60" x 19.70" x 14.40" (62.5 x 50 x 36.6 cm)
22.00" x 17.00" x 12.70" (55.9 x 43.2 x 32.2 cm)
2.00" / 10.70" (5.1 cm / 27.2 cm)
23.4 lbs. (10.61 kg) WITH FOAM 18.5 lbs. (8.39 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*
MIL-STD-810F • FED-STD-101C • ATA 300

Similarly sized Pelican™ Case: 1600

iM2700 PELICAN™ STORM CASE™

24.60" x 19.70" x 8.60" (62.5 x 50 x 21.8 cm)
22.00" x 17.00" x 8.00" (55.9 x 43.2 x 20.3 cm)
2.00" / 6.00" (5.1 cm / 15.2 cm)
14.4 lbs. (6.53 kg) WITH FOAM 11.1 lbs. (5.03 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*
MIL-STD-810F • FED-STD-101C • ATA 300



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



iM2875 PELICAN™ STORM CASE™

24.90" x 23.70" x 13.10" (63.2 x 60.2 x 33.3 cm)
22.50" x 21.10" x 11.40" (57.1 x 53.6 x 28.9 cm)
2.00" / 9.40" (5.1 cm / 23.9 cm)
24.6 lbs. (11.16 kg) WITH FOAM 20.1 lbs. (9.12 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*
MIL-STD-810F • FED-STD-101C • ATA 300

*Lid Organizer - See Pelican Storm Lid Organizer section for available Lid Organizer styles

Case contents not included



Similarly sized Pelican™ Case: 1650



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



iM2950 PELICAN™ STORM CASE™

31.30" x 20.40" x 12.20" (79.5 x 51.8 x 31 cm)
29.00" x 18.00" x 10.50" (73.6 x 45.7 x 26.7 cm)
2.00" / 8.50" (5.1 cm / 21.6 cm)
28.7 lbs. (13.02 kg) WITH FOAM 20.8 lbs. (9.43 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*
MIL-STD-810F • FED-STD-101C • ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



iM2975 PELICAN™ STORM CASE™ | TRANSPORT CASE

31.30" x 20.40" x 15.50" (79.5 x 51.8 x 39.4 cm)
29.00" x 18.00" x 13.80" (73.6 x 45.7 x 35 cm)
2.00" / 11.80" (5.1 cm / 30 cm)
29.5 lbs. (13.38 kg) WITH FOAM 22.8 lbs. (10.34 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*
MIL-STD-810F • FED-STD-101C • ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES




iM3075 PELICAN™ STORM CASE™ | TRANSPORT CASE

33.30" x 24.40" x 19.30" (84.5 x 62 x 49 cm)
29.80" x 20.80" x 17.80" (75.7 x 52.8 x 45.2 cm)
4.00" / 13.75" (10.2 cm / 34.9 cm)
45 lbs. (20.41 kg) WITH FOAM 31.5 lbs. (14.29 kg) NO FOAM
Lid Stay • Shoulder Strap • Base Bezel Kit • Lid Bezel Kit • Padded Dividers • Lid Organizer*
MIL-STD-810F • FED-STD-101C • ATA 300

*Lid Organizer - See Pelican Storm Lid Organizer section for available Lid Organizer styles

Case contents not included



LONG CASES

Similarly sized Pelican™ Case: 1720



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



iM3200 PELICAN™ STORM CASE™ LONG CASE
47.20" x 16.50" x 6.70" (119.8 x 41.9 x 17 cm)
44.00" x 14.00" x 6.00" (111.7 x 35.5 x 15.2 cm)
2.00" / 4.00" (5.1 cm / 10.2 cm)
21.1 lbs. (9.57 kg) WITH FOAM 17.7 lbs. (8.03 kg) NO FOAM
Lid Stay • Shoulder Strap
MIL-STD-810F • FED-STD-101C • ATA 300



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



iM3220 PELICAN™ STORM CASE™ LONG CASE
47.20" x 16.50" x 9.20" (119.8 x 41.9 x 23.4 cm)
44.00" x 14.00" x 8.50" (111.7 x 35.5 x 21.6 cm)
2.00" / 6.50" (5.1 cm / 16.5 cm)
24.8 lbs. (11.25 kg) WITH FOAM 20.4 lbs. (9.25 kg) NO FOAM
Lid Stay • Shoulder Strap
MIL-STD-810F • FED-STD-101C • ATA 300



Similarly sized Pelican™ Case:1700



iM3100 PELICAN™ STORM CASE™ | LONG CASE

39.80" x 16.50" x 6.70" (101.1 x 41.9 x 17 cm)
36.50" x 14.00" x 6.00" (92.7 x 35.5 x 15.2 cm)
2.00" / 4.00" (5.1 cm / 10.2 cm)
19.8 lbs. (8.98 kg) WITH FOAM 15.2 lbs. (6.89 kg) NO FOAM
Lid Stay • Shoulder Strap
MIL-STD-810F • FED-STD-101C • ATA 300

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT
COLORS
AVAILABLE ACCESSORIES
CERTIFICATES



Similarly sized Pelican™ Case: 1750



iM3300 PELICAN™ STORM CASE™ | LONG CASE

53.80" x 16.50" x 6.70" (136.6 x 41.9 x 17 cm)
50.50" x 14.00" x 6.00" (128.2 x 35.5 x 15.2 cm)
2.00" / 4.00" (5.1 cm / 10.2 cm)
23 lbs. (10.43 kg) WITH FOAM 19.1 lbs. (8.66 kg) NO FOAM
Lid Stay • Shoulder Strap
MIL-STD-810F • FED-STD-101C • ATA 300





iM2400 PELICAN™ STORM CASE™

- Cat. No. **iM2400-X0002**
Case with divider set
- Cat. No. **M2400-DIV**
divider set only



iM3075 PELICAN™ STORM CASE™

- Cat. No. **iM3075-X0002**
Case with divider set
- Cat. No. **iM3075-DIV**
divider set only

PADDED CASE DIVIDER OPTIONS

CASE	LAYERS	CASE WITH DIVIDERS*	DIVIDER SET ONLY
iM2050	1	iM2050-X0002	iM2050-DIV
iM2075	1	iM2075-X0002	iM2075-DIV
iM2100	1	iM2100-X0002	iM2100-DIV
iM2200	1	iM2200-X0002	iM2200-DIV
iM2300	1	iM2300-X0002	iM2300-DIV
iM2306	1	iM2306-X0002	iM2306-DIV
iM2370	1	iM2370-X0002	iM2370-DIV
iM2400	1	iM2400-X0002	iM2400-DIV
iM2450	1	iM2450-X0002	iM2450-DIV
iM2500	1	iM2500-X0002	iM2500-DIV
iM2600	1	iM2600-X0002	iM2600-DIV
iM2620	1	iM2620-X0002	iM2620-DIV
iM2700	1	iM2700-X0002	iM2700-DIV
iM2720	1	iM2720-X0002	iM2720-DIV
iM2750	2	iM2750-X0002	iM2750-DIV
iM2875	1	iM2875-X0002	iM2875-DIV
iM2950	1	iM2950-X0002	iM2950-DIV
iM2975	2	iM2975-X0002	iM2975-DIV
iM3075	2	iM3075-X0002	iM3075-DIV

*X in part number denotes color choice

iM2050-20002 = iM2050, Yellow with Padded Dividers

CASE COLOR KEY

■ 0-BLACK ■ 2-YELLOW ■ 3-OD GREEN

LID ORGANIZERS

Customize your case with a lightweight lid organizer, utility organizer or photo pallet kit to keep your gear organized and protected inside. The organizers fit perfectly inside the lid of the case and are covered with a water-resistant, PVC-coated, high denier nylon fabric for strength and protection from the elements. Installs with Velcro® strips (included).

■ Photographer's Organizers

present an array of compartments including an assortment of elastic strapping and mesh nylon zipper pockets to house, protect, and organize your gear.





















■ **Lid Organizers** are styled with deep expandable folder pockets and sleeves for various office-attaché style components.

■ **Utility Organizers** offer various folder pockets, sleeves, and include a vast array of mesh nylon zipper pockets to house, protect, and organize gear.



CASE	PHOTOGRAPER'S ORGANIZER	LID ORGANIZER	UTILITY ORGANIZER
iM2300	iM2300-PHOTOPALLET	iM2300-LIDORG	
iM2370			iM2370-UTILITYORG
iM2400	iM24XX-PHOTOPALLET	iM24XX-LIDORG	
iM2450	iM24XX-PHOTOPALLET	iM24XX-LIDORG	
iM2500			iM2500-UTILITYORG
iM2600	iM26XX-PHOTOPALLET	iM26XX-LIDORG	iM26XX-UTILITYORG
iM2620	iM26XX-PHOTOPALLET	iM26XX-LIDORG	iM26XX-UTILITYORG
iM2700			iM27XX-UTILITYORG
iM2720			iM27XX-UTILITYORG
iM2750			iM27XX-UTILITYORG
iM2875			iM2875-UTILITYORG
iM2950			iM29XX-UTILITYORG
iM2975			iM29XX-UTILITYORG
iM3075			iM30XX-UTILITYORG

Lid Organizers are installed with Velcro® (included)

CASE	EXTERIOR	INTERIOR	LID DEPTH	CASE DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	COLORS	BUOYANCY MAXIMUM	TEMPERATURE	CERTIFICATES
iM2050	11.80" x 9.80" x 4.70" (30 x 24.9 x 11.9 cm)	9.50" x 7.50" x 4.25" (24.1 x 19 x 10.8 cm)	1.50" (3.8 cm)	2.75" (7 cm)	3 lbs. (1.36 kg)	2.7 lbs. (1.22 kg)		16.68 lbs. (7.57 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2075	11.80" x 9.80" x 7.70" (30 x 24.9 x 19.6 cm)	9.50" x 7.50" x 7.25" (24.1 x 19 x 18.4 cm)	1.50" (3.8 cm)	5.75" (14.6 cm)	3.7 lbs. (1.68 kg)	3.3 lbs. (1.5 kg)		28.45 lbs. (12.9 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2100	14.20" x 11.40" x 6.50" (36.1 x 28.9 x 16.5 cm)	13.00" x 9.20" x 6.00" (33 x 23.4 x 15.2 cm)	2.00" (5.1 cm)	4.00" (10.2 cm)	4.9 lbs. (2.22 kg)	4.2 lbs. (1.91 kg)		33.82 lbs. (15.34 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2200	16.20" x 12.70" x 6.60" (41.1 x 32.2 x 16.8 cm)	15.00" x 10.50" x 6.00" (38.1 x 26.7 x 15.2 cm)	2.00" (5.1 cm)	4.00" (10.2 cm)	6.1 lbs. (2.77 kg)	4.9 lbs. (2.22 kg)		44.16 lbs. (20.03 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2300	18.20" x 13.40" x 6.70" (46.2 x 34 x 17 cm)	17.00" x 11.70" x 6.20" (43.2 x 29.7 x 15.7 cm)	2.00" (5.1 cm)	4.20" (10.7 cm)	7.1 lbs. (3.22 kg)	5.9 lbs. (2.68 kg)		53.24 lbs. (24.15 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2306	18.20" x 8.40" x 6.70" (46.2 x 21.3 x 17 cm)	17.00" x 6.30" x 6.20" (43.2 x 16 x 15.7 cm)	2.00" (5.1 cm)	4.20" (10.7 cm)	4.7 lbs. (2.13 kg)	4.3 lbs. (1.95 kg)		32.71 lbs. (14.84 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2370	20.00" x 14.70" x 5.80" (50.8 x 37.3 x 14.7 cm)	18.20" x 12.10" x 5.20" (46.2 x 30.7 x 13.2 cm)	1.70" (4.3 cm)	3.50" (8.9 cm)	7.2 lbs. (3.27 kg)	5.7 lbs. (2.59 kg)		56.61 lbs. (25.68 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2400	19.20" x 15.20" x 7.30" (48.7 x 38.6 x 18.5 cm)	18.00" x 13.00" x 6.70" (45.7 x 33 x 17 cm)	2.00" (5.1 cm)	4.70" (11.9 cm)	7.8 lbs. (3.54 kg)	6.5 lbs. (2.95 kg)		70.47 lbs. (31.96 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2450	19.20" x 15.20" x 9.00" (48.7 x 38.6 x 22.9 cm)	18.00" x 13.00" x 8.40" (45.7 x 33 x 21.3 cm)	2.00" (5.1 cm)	7.00" (17.8 cm)	8.9 lbs. (4.04 kg)	7.4 lbs. (3.36 kg)		63.62 lbs. (28.86 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2500	21.70" x 14.10" x 8.90" (55.1 x 35.8 x 22.6 cm)	20.50" x 11.50" x 7.20" (52 x 29.2 x 18.3 cm)	2.00" (5.1 cm)	5.20" (13.2 cm)	13.7 lbs. (6.21 kg)	11.1 lbs. (5.03 kg)		87.39 lbs. (39.64 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2600	21.20" x 16.00" x 8.30" (53.8 x 40.6 x 21.1 cm)	20.00" x 14.00" x 7.70" (50.8 x 35.5 x 19.6 cm)	2.00" (5.1 cm)	5.70" (14.5 cm)	11.6 lbs. (5.26 kg)	8.5 lbs. (3.86 kg)		93.22 lbs. (42.28 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2620	21.20" x 16.00" x 10.60" (53.8 x 40.6 x 26.9 cm)	20.00" x 14.00" x 10.00" (50.8 x 35.5 x 25.4 cm)	2.00" (5.1 cm)	8.00" (20.3 cm)	14.5 lbs. (6.58 kg)	12.5 lbs. (5.67 kg)		129.91 lbs. (58.93 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2700	24.60" x 19.70" x 8.60" (62.5 x 50 x 21.8 cm)	22.00" x 17.00" x 8.00" (55.9 x 43.2 x 20.3 cm)	2.00" (5.1 cm)	6.00" (15.2 cm)	14.4 lbs. (6.53 kg)	11.1 lbs. (5.03 kg)		139.48 lbs. (63.27 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2720	24.60" x 19.70" x 11.70" (62.5 x 50 x 29.7 cm)	22.00" x 17.00" x 10.00" (55.9 x 43.2 x 25.4 cm)	2.00" (5.1 cm)	8.00" (20.3 cm)	22 lbs. (9.98 kg)	16.8 lbs. (7.62 kg)		188.06 lbs. (85.3 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2750	24.60" x 19.70" x 14.40" (62.5 x 50 x 36.6 cm)	22.00" x 17.00" x 12.70" (55.9 x 43.2 x 32.2 cm)	2.00" (5.1 cm)	10.70" (27.2 cm)	23.4 lbs. (10.61 kg)	18.5 lbs. (8.39 kg)		233.63 lbs. (105.97 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2875	24.90" x 23.70" x 13.10" (63.2 x 60.2 x 33.3 cm)	22.50" x 21.10" x 11.40" (57.1 x 53.6 x 28.9 cm)	2.00" (5.1 cm)	9.40" (23.9 cm)	24.6 lbs. (11.16 kg)	20.1 lbs. (9.12 kg)		259.21 lbs. (117.58 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2950	31.30" x 20.40" x 12.20" (79.5 x 51.8 x 31 cm)	29.00" x 18.00" x 10.50" (73.6 x 45.7 x 26.7 cm)	2.00" (5.1 cm)	8.50" (21.6 cm)	28.7 lbs. (13.02 kg)	20.8 lbs. (9.43 kg)		260.65 lbs. (118.23 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM2975	31.30" x 20.40" x 15.50" (79.5 x 51.8 x 39.4 cm)	29.00" x 18.00" x 13.80" (73.6 x 45.7 x 35 cm)	2.00" (5.1 cm)	11.80" (30 cm)	29.5 lbs. (13.38 kg)	22.8 lbs. (10.34 kg)		332.77 lbs. (150.94 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3075	33.30" x 24.40" x 19.30" (84.5 x 62 x 49 cm)	29.80" x 20.80" x 17.80" (75.7 x 52.8 x 45.2 cm)	4.00" (10.2 cm)	13.75" (34.9 cm)	45 lbs. (20.41 kg)	31.5 lbs. (14.29 kg)		530.89 lbs. (240.81 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3100	39.80" x 16.50" x 6.70" (101.1 x 41.9 x 17 cm)	36.50" x 14.00" x 6.00" (92.7 x 35.5 x 15.2 cm)	2.00" (5.1 cm)	4.00" (10.2 cm)	19.8 lbs. (8.98 kg)	15.2 lbs. (6.89 kg)		142.58 lbs. (64.67 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3200	47.20" x 16.50" x 6.70" (119.8 x 41.9 x 17 cm)	44.00" x 14.00" x 6.00" (111.7 x 35.5 x 15.2 cm)	2.00" (5.1 cm)	4.00" (10.2 cm)	21.1 lbs. (9.57 kg)	17.7 lbs. (8.03 kg)		170.82 lbs. (77.48 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3220	47.20" x 16.50" x 9.20" (119.8 x 41.9 x 23.4 cm)	44.00" x 14.00" x 8.50" (111.7 x 35.5 x 21.6 cm)	2.00" (5.1 cm)	6.50" (16.5 cm)	24.8 lbs. (11.25 kg)	20.4 lbs. (9.25 kg)		238.47 lbs. (108.17 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300
iM3300	53.80" x 16.50" x 6.70" (136.6 x 41.9 x 17 cm)	50.50" x 14.00" x 6.00" (128.2 x 35.5 x 15.2 cm)	2.00" (5.1 cm)	4.00" (10.2 cm)	23 lbs. (10.43 kg)	19.1 lbs. (8.66 kg)		195.89 lbs. (88.85 kg)	-20 / 140° F (-29 / 60° C)	MIL-STD-810F • FED-STD-101C • ATA 300

PELICAN STORM CASE ACCESSORIES								
CASE	BASE BEZEL KIT	LID BEZEL KIT	LID STAY	MANUAL PURGE VALVE	PADDED SHOULDER STRAP	REPLACEMENT FOAM	COMPUTER TRAY	REMOVABLE PADDED SHOULDER STRAP
iM2050	iM20XX-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2050-FOAM		
iM2075	iM20XX-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2075-FOAM		
iM2100	iM2100-BEZEL		iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2100-FOAM		
iM2200	iM2200-BEZEL	iM2200-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2200-FOAM		
iM2300	iM2300-BEZEL	iM2300-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2300-FOAM		
iM2306	iM2306-BEZEL	iM2306-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2306-FOAM		
iM2370			iM-LIDSTAY	iM-VALVE-M-B		iM2370-FOAM	iM2370-COMPTRAY	iM2370-STRAP-S
iM2400	iM24XX-BEZEL	iM24XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2400-FOAM		
iM2450	iM24XX-BEZEL	iM24XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2450-FOAM		
iM2500	iM2500-BEZEL	iM2500-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2500-FOAM		
iM2600	iM26XX-BEZEL	iM26XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2600-FOAM		
iM2620	iM26XX-BEZEL	iM26XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2620-FOAM		
iM2700	iM27XX-BEZEL	iM27XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2700-FOAM		
iM2720	iM27XX-BEZEL	iM27XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2720-FOAM		
iM2750	iM27XX-BEZEL	iM27XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2750-FOAM		
iM2875	iM2875-BEZEL	iM2875-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2875-FOAM		
iM2950	iM29XX-BEZEL	iM29XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2950-FOAM		
iM2975	iM29XX-BEZEL	iM29XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM2975-FOAM		
iM3075	iM30XX-BEZEL	iM30XX-BEZEL-LID	iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3075-FOAM		
iM3100			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3100-FOAM		
iM3200			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3200-FOAM		
iM3220			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3220-FOAM		
iM3300			iM-LIDSTAY	iM-VALVE-M-B	iM-STRAP-S-VER2	iM3300-FOAM		



▪ PELICAN-HARDIGG™ ROTO-PACK SECTION

**BB0030 BLACKBOX
3U RACK MOUNT CASE**



**FD3121 SINGLE
FIELD DESK**



**MC8100
MEDCHEST
8 DRAWER**



**AL3834
XX-LARGE
SHIPPING
CASE**



> ANATOMY OF A PELICAN-HARDIGG™ CASE



MOLDED-IN STACKING RIBS:
Secure, Non-Slip Stacking
10°-15° Angle




COMFORT GRIP HANDLES: A Pelican Patented Feature, Heavy-Duty, Injection Molded



PATENTED MOLDED-IN METAL INSERTS
Catch and Hinge Attachment Points, Designed to Spread Load to Case Walls



REINFORCED CORNERS AND EDGES
15% to 20% Thicker Corners and Edges for Added Impact Protection



GASKET PARTING LINES

- Tongue-in-Groove Seal
- Molded-in Parting Line
- Remains Sealed After Impact
- Splash and Rain Resistant
- Air and Watertight Options

AIR TRANSPORT ASSOCIATION APPROVED
Cases Exceed ATA Spec 300 Category 1

POSITIVE ANTI-SHEAR LOCKS

- Prevent Lid Separation Upon Impact
- Minimize Hardware Stress

OPTIONAL FOAM INSERT

RECESSED HARDWARE
Hardware Protected from Impact
Smoother Transportation

PRESSURE CONTROL VALVE
To Maintain Equal Pressure

A NEW TOUGH SKIN OPTION: Introducing the Pelican-Hardigg Case



> ROTO MOLDING TECHNOLOGY is a versatile manufacturing process that produces highly durable ruggedized shipping cases. Several molds are placed on a machine at the same time, plastic resin is loaded into each of the molds which are then heated and slowly rotated on both the vertical and horizontal axes.

DESIGN ADVANTAGES: Roto Molding results in seamless parts with more material in the corners and edges for additional impact protection. Since the material is not stressed during production the finished part is stronger.

For information on our extensive custom services and other case size availability, call our South Deerfield office at (800) 542.7344.



South Deerfield, MA office and manufacturing plant

SINGLE LID CASES



Transport and protect your equipment in our Single Lid Cases. These cases are

lightweight, shockproof, watertight, dustproof, heat, and chemical-resistant, which make them extremely tough and offer ultimate protection that will move your equipment from point A to point B without a scratch.

APPLICATION EXAMPLES:

- Trade show support materials (Flat screen monitor)
- Shipping, portable general storage

BLACKBOX RACK MOUNT CASES

These lightweight, compact, and double ended cases offer light to medium duty protection and boast significantly better light duty shock performance than the competition. The use of recycled materials in the shell and a sturdy steel frame offer great value while upholding Pelican's industry-leading standards. When you need to be cost-conscious but can't sacrifice performance, BlackBox is the answer.



APPLICATION EXAMPLES:

- Audio/Video recording and processing systems
- Satellite communication systems
- Radio communication systems
- Seismic data recording instrumentation
- Climate data collection

SPECIALTY PRODUCTS




Our specialty products are well engineered portable workspace solutions. These specialty products range from portable desks that set up in minutes to storage chests with metal drawers and dividers to keep all your supplies safe and organized. For protecting personal gear, our footlockers and trunklockers are lightweight and lockable. Whatever your need, whatever the environment, we have a durable solution to keep the job moving along.

APPLICATION EXAMPLES FOR FIELD DESKS:

- Command centers
- Construction sites
- Emergency aid shelters

APPLICATION EXAMPLE FOR MEDCHEST:

- Emergency response supplies and medicines





BLACKBOX RACK MOUNT CASES

EXTERIOR DIMENSIONS
LID INNER DIMENSIONS FRONT/BACK
RACK HEIGHT
RACK LENGTH
RACK WIDTH
WEIGHT
COLORS
RACK UNIT QUANTITY
SPECIAL FEATURES

BB0040 BLACKBOX 4U RACK MOUNT CASE



NEW
38.50" x 24.60" x 13.10"
(97.8 x 62.5 x 33.3 cm)

2.2" / 5.2"
(5.6 cm) / (13.2 cm)

7.00"
(17.8 cm)

24.00"
(60.9 cm)

19.00"
(48.2 cm)

47 lbs.
(21.32 kg)



4 Units

- 2 wheels
- Shock mounts provide 2" (5.1 cm) of sway space to isolate equipment
- Automatic pressure relief valve
- Airtight and watertight

[LINK >](#)

BB0030 BLACKBOX 3U RACK MOUNT CASE



NEW
38.50" x 24.60" x 11.40"
(97.8 x 62.5 x 28.9 cm)

2.2" / 5.2"
(5.6 cm) / (13.2 cm)

5.25"
(13.3 cm)

24.00"
(60.9 cm)

19.00"
(48.2 cm)

42 lbs.
(19.05 kg)



3 Units

- 2 wheels
- Shock mounts provide 2" (5.1 cm) of sway space to isolate equipment
- Automatic pressure relief valve
- Airtight and watertight

[LINK >](#)

EXTERIOR DIMENSIONS
LID INNER DIMENSIONS FRONT/BACK
RACK HEIGHT
RACK LENGTH
RACK WIDTH
WEIGHT
COLORS
RACK UNIT QUANTITY
SPECIAL FEATURES

BB0050 BLACKBOX 5U RACK MOUNT CASE



NEW
38.50" x 24.60" x 14.90"
(97.8 x 62.5 x 37.8 cm)

2.2" / 5.2"
(5.6 cm) / (13.2 cm)

8.75"
(22.2 cm)

24.00"
(60.9 cm)

19.00"
(48.2 cm)

48 lbs.
(21.77 kg)



5 Units

- 2 wheels
- Shock mounts provide 2" (5.1 cm) of sway space to isolate equipment
- Automatic pressure relief valve
- Airtight and watertight

[LINK >](#)

BB0070 BLACKBOX 7U RACK MOUNT CASE



38.50" x 24.60" x 18.40" (97.8 x 62.5 x 46.7 cm)	EXTERIOR DIMENSIONS
2.2" / 5.2" (5.6 cm) / (13.2 cm)	LID INNER DIMENSIONS FRONT/BACK
12.25" (31.1 cm)	RACK HEIGHT
24.00" (60.9 cm)	RACK LENGTH
19.00" (48.2 cm)	RACK WIDTH
51 lbs. (23.13 kg)	WEIGHT
■	COLORS
7 Units	RACK UNIT QUANTITY
• 2 wheels • Shock mounts provide 2" (5.1 cm) of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES



[LINK >](#)

BB0110 BLACKBOX 11U RACK MOUNT CASE



38.50" x 24.60" x 25.40" (97.8 x 62.5 x 64.5 cm)	EXTERIOR DIMENSIONS
2.2" / 5.2" (5.6 cm) / (13.2 cm)	LID INNER DIMENSIONS FRONT/BACK
19.25" (48.9 cm)	RACK HEIGHT
24.00" (60.9 cm)	RACK LENGTH
19.00" (48.2 cm)	RACK WIDTH
60 lbs. (27.22 kg)	WEIGHT
■	COLORS
11 Units	RACK UNIT QUANTITY
• 2 wheels • Shock mounts provide 2" (5.1 cm) of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES



[LINK >](#)

BB0090 BLACKBOX 9U RACK MOUNT CASE



38.50" x 24.60" x 21.90" (97.8 x 62.5 x 55.6 cm)	EXTERIOR DIMENSIONS
2.2" / 5.2" (5.6 cm) / (13.2 cm)	LID INNER DIMENSIONS FRONT/BACK
15.75" (40 cm)	RACK HEIGHT
24.00" (60.9 cm)	RACK LENGTH
19.00" (48.2 cm)	RACK WIDTH
56 lbs. (25.4 kg)	WEIGHT
■	COLORS
9 Units	RACK UNIT QUANTITY
• 2 wheels • Shock mounts provide 2" (5.1 cm) of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES



[LINK >](#)

BB0140 BLACKBOX 14U RACK MOUNT CASE



38.50" x 24.60" x 30.60" (97.8 x 62.5 x 77.7 cm)	EXTERIOR DIMENSIONS
2.2" / 5.2" (5.6 cm) / (13.2 cm)	LID INNER DIMENSIONS FRONT/BACK
24.50" (62.2 cm)	RACK HEIGHT
24.00" (60.9 cm)	RACK LENGTH
19.00" (48.2 cm)	RACK WIDTH
66 lbs. (29.94 kg)	WEIGHT
■	COLORS
14 Units	RACK UNIT QUANTITY
• 2 wheels • Shock mounts provide 2" (5.1 cm) of sway space to isolate equipment • Automatic pressure relief valve • Airtight and watertight	SPECIAL FEATURES



[LINK >](#)

SPECIALTY PRODUCTS



FD3121 SINGLE FIELD DESK



COLLAPSED FORM

30.70" x 21.00" x 28.50"
(77.9 x 53.3 x 72.4 cm)

EXTENDED FORM

61.40" x 28.50" x 28.50"
(156 x 72.4 x 72.4 cm)

WEIGHT

81.3 lbs.
(37 kg)

COLORS



SPECIAL FEATURES

- 1 Large work surface, chair, and drawers
- 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes
- 1 Chair: load rated to 300 lbs. (136 kg)
- Airtight and watertight



[LINK >](#)

FD3429 DOUBLE DUTY FIELD DESK



COLLAPSED FORM

34.00" x 28.50" x 24.90"
(86.4 x 72.4 x 63.2 cm)

EXTENDED FORM

102.00" x 28.50" x 28.50"
(259.1 x 72.4 x 72.4 cm)

WEIGHT

100 lbs.
(45.5 kg)

COLORS



SPECIAL FEATURES

- 2 Large desk surfaces, with rolling casters
- 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes
- 2 Casters
- 2 Chairs: load rated to 300 lbs. (136 kg each)
- Airtight and watertight



[LINK >](#)



FT3317 FOOTLOCKER



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
COLORS
FEATURES



33.00" x 17.00" x 17.00"
(83.8 x 43.2 x 43.2 cm)

29.00" x 14.00" x 15.00"
(73.6 x 35.5 x 38.1 cm)

27 lbs.
(12.25kg)



- 2 wheels
- 2 black trays
- Spring loaded butterfly latches
- Airtight and watertight

TL3619 TRUNKLOCKER



36.27" x 18.50" x 19.56" (92.1 x 47 x 49.7 cm)
32.88" x 15.00" x 17.75" (83.5 x 38.1 x 45.1 cm)
26 lbs. (11.79 kg)
<ul style="list-style-type: none"> • Storage locker • Extra-deep storage cavity • Two Press & Pull Latches • Injection molded outer shell • Two organization trays • Molded-in stacking ribs • Water resistant

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
COLORS
FEATURES

MC3000 MEDCHEST 3



32.75" x 20.87" x 12.61" (83.2 x 53 x 32 cm)
30.00" x 18.00" x 11.00" (76.2 x 45.7 x 27.9 cm)
39 lbs. (17.69 kg)
<ul style="list-style-type: none"> • Storage chest • 2 wheels • Made from fire retardant material • Spring loaded butterfly latches • 3x5" (7.6 x 12.7cm) Card holder • Airtight and watertight

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
WEIGHT
COLORS
FEATURES

MC4100 MEDCHEST 4 DRAWER



32.75" x 20.87" x 12.61"
(83.2 x 53 x 32 cm)

Drawer #	Length x Width x Depth
1, 2, 3, 4	15.00" x 6.90" x 7.80" (38.1 x 17.5 x 19.8 cm)

64 lbs.
(29.03 kg)



- Four-drawer case with full extension sliding drawers
- 2 wheels
- Spring loaded butterfly latches
- Full-extension ball-bearing slides
- Made from fire retardant material
- Airtight and watertight
- Customizable divider system

EXTERIOR DIMENSIONS

DRAWER DIMENSIONS

WEIGHT

COLORS

FEATURES




MC8100 MEDCHEST 8 DRAWER



32.75" x 20.87" x 12.61"
(83.2 x 53 x 32 cm)

Drawer #	Length x Width x Depth
1, 2, 3, 4	15" x 2.9" x 7.8" (38.1 x 7.4 x 19.8 cm)
5, 6	15" x 3.9" x 7.8" (38.1 x 9.9 x 19.8 cm)
7, 8	15" x 4.9" x 7.8" (38.1 x 12.4 x 19.8 cm)

64 lbs.
(29.03 kg)



- Eight-drawer case with full extension sliding drawers
- 2 wheels
- Spring loaded butterfly latches
- Full-extension ball-bearing slides
- Made from fire retardant material
- Airtight and watertight
- Customizable divider system
- One lockable drawer
- Removable stainless-steel work tray
- Comfort grip handles





SINGLE LID CASES

AL2013 LARGE SHIPPING CASE



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT*
COLORS
SPECIAL FEATURES



[LINK >](#)

22.90" x 16.00" x 13.90" (58.1 x 40.6 x 35.3 cm)
19.90" x 13.00" x 12.30" (50.5 x 33 x 31.2 cm)
3.00" / 9.30" (7.6 cm) / (23.6 cm)
16.8 lbs. (7.62 kg)
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact

AL2624 LARGE SHIPPING CASE



EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT*
COLORS
SPECIAL FEATURES



[LINK >](#)

29.10" x 27.00" x 26.60" (73.9 x 68.6 x 67.5 cm)
26.40" x 24.00" x 22.90" (67 x 60.9 x 58.1 cm)
5.10" / 17.80" (12.9 cm) / (45.2 cm)
38.5 lbs. (17.46 kg)
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact

AL1616 LARGE SHIPPING CASE



[LINK >](#)

18.75" x 18.88" x 12.19" (47.6 x 47.9 x 31 cm)
15.75" x 15.88" x 10.54" (40 x 40.3 x 26.8 cm)
5.12" / 5.42" (13 cm) / (13.8 cm)
14.5 lbs. (6.58 kg)
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact

AL3018 LARGE SHIPPING CASE



[LINK >](#)

EXTERIOR DIMENSIONS
INTERIOR DIMENSIONS
LID/BOTTOM DEPTH
WEIGHT*
COLORS
SPECIAL FEATURES

32.75" x 20.87" x 21.93" (83.2 x 53 x 55.7 cm)
29.75" x 17.87" x 20.12" (75.5 x 45.4 x 51.1 cm)
31.8 lbs. / 14.87" (14.42 kg) / (37.8 cm)
31.8 lbs. (14.42 kg)
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • 2 wheels

*Weight= Without foam

AL3418 X-LARGE SHIPPING CASE



[LINK >](#)

27.20" x 21.00" x 17.30" (69.1 x 53.3 x 43.9 cm)	EXTERIOR DIMENSIONS
34.20" x 18.00" x 15.40" (86.8 x 45.7 x 39.1 cm)	INTERIOR DIMENSIONS
5.30"/ 10.10" (13.5 cm)/ (25.6 cm)	LID/BOTTOM DEPTH
30.6 lbs. (13.88 kg)	WEIGHT*
	COLORS
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • 2 wheels 	SPECIAL FEATURES

AL3834 XX-LARGE SHIPPING CASE



[LINK >](#)

41.12" x 37.12" x 38.82" (104.4 x 94.2 x 98.6 cm)	EXTERIOR DIMENSIONS
38.12" x 34.12" x 33.00" (96.8 x 86.6 x 83.8 cm)	INTERIOR DIMENSIONS
17.25"/ 15.75" (43.8 cm)/ (40 cm)	LID/BOTTOM DEPTH
86.4 lbs. (39.19 kg)	WEIGHT*
	COLORS
<ul style="list-style-type: none"> • Forklift skid-runners: One-piece molded skid-runners provide clearance for forklift tines and pallet jacks 	SPECIAL FEATURES

AL4024 X-LARGE SHIPPING CASE



[LINK >](#)

42.87" x 27.31" x 20.19" (108.8 x 69.3 x 51.3 cm)	EXTERIOR DIMENSIONS
39.87" x 24.31" x 18.00" (101.2 x 61.7 x 45.7 cm)	INTERIOR DIMENSIONS
5.25"/ 12.75" (13.3 cm)/ (32.4 cm)	LID/BOTTOM DEPTH
50.2 lbs. (22.77 kg)	WEIGHT*
	COLORS
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • 2 wheels 	SPECIAL FEATURES

AL5424 XX-LARGE SHIPPING CASE



[LINK >](#)

56.87" x 26.93" x 33.75" (144.4 x 68.4 x 85.7 cm)	EXTERIOR DIMENSIONS
53.87" x 23.93" x 28.87" (136.8 x 60.8 x 73.3 cm)	INTERIOR DIMENSIONS
6.12"/ 22.75" (15.5 cm)/ (57.8 cm)	LID/BOTTOM DEPTH
104.3 lbs. (47.31 kg)	WEIGHT*
	COLORS
<ul style="list-style-type: none"> • Forklift skid-runners: One-piece molded skid-runners provide clearance for forklift tines and pallet jacks 	SPECIAL FEATURES

AL5415 X-LARGE SHIPPING CASE



For flat screen transportation
will accommodate most 42"
(106 cm) to 50" (127 cm) screens.



[LINK >](#)

*Weight= Without foam

57.06" x 18.87" x 39.62" (144.9 x 47.9 x 100.6 cm)	EXTERIOR DIMENSIONS
54.62" x 15.88" x 35.88" (138.7 x 40.3 x 91.1 cm)	INTERIOR DIMENSIONS
25.88"/ 10.00" (65.7 cm)/ (25.4 cm)	LID/BOTTOM DEPTH
98.2 lbs. (44.54 kg)	WEIGHT*
	COLORS
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • For flat screens • 4 wheels 	SPECIAL FEATURES

AL6912 XX-LARGE SHIPPING CASE



[LINK >](#)

69.37" x 12.00" x 14.09" (176.1 x 30.5 x 35.8 cm)	EXTERIOR DIMENSIONS
69.37" x 12.00" x 14.09" (176.1 x 30.5 x 35.8 cm)	INTERIOR DIMENSIONS
3.60"/ 10.49" (9.1 cm)/ (26.6 cm)	LID/BOTTOM DEPTH
42 lbs. (19.05 kg)	WEIGHT*
	COLORS
<ul style="list-style-type: none"> • Comfort grip handles • Positive anti-shear locks, which prevent lid separation after impact • 2 wheels 	SPECIAL FEATURES








BLACKBOX RACK MOUNT CASES

PRODUCT	CATALOG NUMBER	RACK* HEIGHT	RACK* LENGTH	RACK* WIDTH	LID I.D.* FRONT/BACK ¹	LENGTH* O.D. ²	WIDTH* O.D.	HEIGHT* O.D. ³	WEIGHT*
BB0030 BLACKBOX RACK MOUNT CASE With 3 unit rack mount	BB0030	5.25" (13.3 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	11.40" (28.9 cm)	42 lbs. (19.05 kg)
BB0040 BLACKBOX RACK MOUNT CASE With 4 unit rack mount	BB0040	7.00" (17.8 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	13.10" (33.3 cm)	47 lbs. (21.32 kg)
BB0050 BLACKBOX RACK MOUNT CASE With 5 unit rack mount	BB0050	8.75" (22.2 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5cm)	14.90" (37.8 cm)	48 lbs. (21.77 kg)
BB0070 BLACKBOX RACK MOUNT CASE With 7 unit rack mount	BB0070	12.25" (31.1 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	18.40" (46.7 cm)	51 lbs. (23.13 kg)
BB0090 BLACKBOX RACK MOUNT CASE With 9 unit rack mount	BB0090	15.75" (40 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	21.90" (55.6 cm)	56 lbs. (25.4 kg)
BB0110 BLACKBOX RACK MOUNT CASE With 11 unit rack mount	BB0110	19.25" (48.9 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	25.40" (64.5 cm)	60 lbs. (27.22 kg)
BB0140 BLACKBOX RACK MOUNT CASE With 14 unit rack mount	BB0140	24.50" (62.2 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	30.60" (77.7 cm)	66 lbs. (29.94 kg)

* All dimensions are approximate. All BlackBox Rack Mount Cases are available in black.

¹ - Lid Outside Dimension (O.D.) = Lid I.D. plus 1.3" (3.3 cm) on 5.2" (13.2 cm) lids and plus 1.1" (2.8 cm) on 2.2" (5.6 cm)

² - Length includes stiffening ribs ³ - Height excludes .4" (1.1cm) stacking ribs

SPECIALTY PRODUCTS						
PRODUCT	CAT. NUMBER	DIMENSIONS* LENGTH x WIDTH x HEIGHT		WEIGHT*	COLORS	
SINGLE FIELD DESK	FD3121-0000-130	• Collapsed Form: 30.70" x 21.00" x 28.50" (77.9 x 53.3 x 72.4 cm)	• Extended Form: 61.40" x 28.50" x 28.50" (156 x 72.4 x 72.4 cm)	81.3 lbs. (37 kg)		
DOUBLE DUTY FIELD DESK	FD3429-0000-130	• Collapsed Form: 34.00" x 28.50" x 24.90" (86.4 x 72.4 x 63.2 cm)	• Extended Form: 102.00" x 28.50" x 28.50" (259.1 x 72.4 x 72.4 cm)	100 lbs. (45.5 kg)		
TRUNKLOCKER	TL3619-0000-130	• Exterior dimensions: 36.27" x 18.50" x 19.56" (92.1 x 47 x 49.7 cm)	• Interior dimensions: 32.88" x 15.00" x 17.75" (83.5 x 38.1 x 45.1 cm)	26 lbs. (11.79 kg)		
FOOTLOCKER	FT3317-0000-130	• Exterior dimension: 33.00" x 17.00" x 17.00" (83.8 x 43.2 x 43.2 cm)	• Interior dimensions: 29.00" x 14.00" x 15.00" (73.6 x 35.5 x 38.1 cm)	27 lbs. (12.25 kg)		
MEDCHEST 3	MC3000-3018-130	• Exterior dimension: 32.75" x 20.87" x 12.61" (83.2 x 53 x 32 cm)	• Interior dimension: 30.00" x 18.00" x 11.00" (76.2 x 45.7 x 27.9 cm)	39 lbs. (17.69 kg)		
MEDCHEST 4 DRAWER	MC4100-0040-130	• Exterior dimensions: 32.75" x 20.87" x 12.61" (83.2 x 53 x 32 cm)	DRAWER NUMBER LENGTH x WIDTH x DEPTH	64 lbs. (29.03 kg)		
			1, 2, 3, 4			15.00" x 6.9" x 7.8" (38.1 x 17.5 x 19.8 cm)
MEDCHEST 8 DRAWER	MC8100-0080-130	• Exterior dimensions: 32.75" x 20.87" x 12.61" (83.2 x 53 x 32 cm)	DRAWER NUMBER LENGTH x WIDTH x DEPTH	64 lbs. (29.03 kg)		
			1, 2, 3, 4			15" x 2.9" x 7.8" (38.1 x 7.4 x 19.8 cm)
			5, 6			15" x 3.9" x 7.8" (38.1 x 9.9 x 19.8 cm)
			7, 8	15" x 4.9" x 7.8" (38.1 x 12.4 x 19.8 cm)		

* All dimensions and weights are approximate.

SINGLE LID CASES

PRODUCT	CATALOG NUMBER	DIMENSIONS* LENGTH x WIDTH x DEPTH (External dimensions)	LENGTH x WIDTH x DEPTH (Internal dimensions)	LID* DEPTH	BOTTOM* DEPTH	WEIGHT*	COLOR
AL1616 Large Ruggedized Shipping Case	AL1616	18.75" x 18.88" x 12.19" (47.6 x 48 x 31 cm)	15.75" x 15.88" x 10.54" (40 x 40.3 x 26.8 cm)	5.12" (13 cm)	5.42" (13.8 cm)	14.5 lbs. (6.6 kg)	■
AL2013 Large Ruggedized Shipping Case	AL2013	22.90" x 16.00" x 13.90" (58.1 x 40.6 x 35.3 cm)	19.90" x 13.00" x 12.30" (50.5 x 33 x 31.2 cm)	3.00" (7.6 cm)	9.30" (23.5 cm)	16.8 lbs. (7.6 kg)	■
AL2624 Large Ruggedized Shipping Case	AL2624	29.10" x 27.00" x 26.60" (73.8 x 68.6 x 67.6 cm)	26.40" x 24.00" x 22.90" (67 x 60.9 x 58.1 cm)	5.10" (12.9 cm)	17.80" (45.2 cm)	38.5 lbs. (17.5 kg)	■
AL3018 Large Ruggedized Shipping Case	AL3018	32.75" x 20.87" x 21.93" (83.2 x 53 x 55.7 cm)	29.75" x 17.87" x 20.12" (75.6 x 45.4 x 51.1 cm)	5.25" (13.3 cm)	14.87" (37.8 cm)	31.8 lbs. (14.4 kg)	■
AL3418 X-Large Ruggedized Shipping Case	AL3418	27.20" x 21.00" x 17.30" (69.1 x 53.3 x 43.9 cm)	34.20" x 18.00" x 15.40" (86.8 x 45.7 x 39.0 cm)	5.30" (13.3 cm)	10.10" (25.7 cm)	30.6 lbs. (13.9 kg)	■

* All dimensions and weights are approximate.
Single Lid Cases do not come with foam.

SINGLE LID CASES							
PRODUCT	CATALOG NUMBER	DIMENSIONS* LENGTH x WIDTH x DEPTH (External dimensions)	LENGTH x WIDTH x DEPTH (Internal dimensions)	LID* DEPTH	BOTTOM* DEPTH	WEIGHT*	COLOR
AL4024 X-Large Ruggedized Shipping Case	AL4024	42.87" x 27.31" x 20.19" (108.8 x 69.3 x 51.3 cm)	39.87" x 24.31" x 18.00" (101.2 x 61.7 x 45.7 cm)	5.25" (13.3 cm)	12.75" (32.4 cm)	50.2 lbs. (22.8 kg)	■
AL5415 X-Large Ruggedized Shipping Case	AL5415	57.06" x 18.87" x 39.62" (144.9 x 47.9 x 100.6 cm)	54.62" x 15.88" x 35.88" (138.7 x 40.3 x 91.1 cm)	25.88" (65.7 cm)	10.00" (25.4 cm)	98.2 lbs. (44.54 kg)	■
AL3834 XX-Large Ruggedized Shipping Case	AL3834	41.12" x 37.12" x 38.82" (104.4 x 94.3 x 98.6 cm)	38.12" x 34.12" x 33.00" (96.8 x 86.6 x 83.8 cm)	17.25" (43.8 cm)	15.75" (40 cm)	86.4 lbs. (39.2 kg)	■
AL5424 XX-Large Ruggedized Shipping Case	AL5424	56.87" x 26.93" x 33.75" (144.4 x 68.4 x 85.7 cm)	53.87" x 23.93" x 28.87" (136.8 x 60.8 x 73.3 cm)	6.12" (15.5 cm)	22.75" (57.8 cm)	104.3 lbs. (47.3 kg)	■
AL6912 XX-Large Ruggedized Shipping Case	AL6912	72.37" x 15.00" x 16.28" (183.8 x 38.1 x 41.4 cm)	69.37" x 12.00" x 14.09" (176.1 x 30.5 x 35.8 cm)	3.60" (9.1 cm)	10.49" (26.6 cm)	42 lbs. (19.1 kg)	■

* All dimensions and weights are approximate.
Single Lid Cases do not come with foam.



CAT . NO. 1500D | PELI™ DESICCANT (SILICA GEL)

Peli Desiccant Silica Gel “drinks” dampness, prevents condensation from trapped air when cases are opened in damp, high humidity climates.

- Fits all Pelican Cases.
- Size: 2” x 4”



CAT . NO. 1507 | PELI™ QUICK MOUNTS (SET OF 4)

- For mounting special equipment
- Fits all Pelican Cases
- Color: Black



CAT . NO. 1506TSA | TSA LOCK


- Special TSA accepted lock
- TSA personnel can safely lock and unlock
- You can set hundreds of combinations
- Fits all Pelican Cases



CAT . NO. 100 | THE PELICAN™ FLOAT 

Marker recovery system. The Pelican Float is a reusable buoy made of structural foamed resin and weighs only 16 oz. Includes over 100 feet of polyethylene 225 lb. test line and a 6 oz. non-drag dispatchable anchor.

> ADVANCED LIGHTING TOOLS



> MEET THE OTHER HALF OF PELICAN™ AT WWW.PELICAN.COM™

The same durability and ingenuity built into every Pelican product also sets our lighting tools apart. We're illuminating the world's darkest and most dangerous places with specialized lighting tools.

- Safety approved lights for hazardous areas



- Tactical lights for military and law enforcement

- Specialized lights for fire and rescue operations

- Submersible lights for scuba diving and other outdoor sports

- Remote Area Lighting Systems for illuminating large work areas

PELICAN LEGENDARY LIFETIME GUARANTEE OF EXCELLENCE

Pelican Products, Inc. guarantees its products for a lifetime against breakage or defects in workmanship. Pelican™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) unless otherwise stated if properly closed with undamaged o-ring in place. Pelican's liability is limited to the case and not its contents or foam. This guarantee does not cover the lamp or batteries (rechargeable or alkaline) for lights. Any liability, either expressed or implied, is limited to replacement of the product. This guarantee is void if the Pelican product has been abused beyond normal and sensible wear and tear. This guarantee does not cover shark bite, bear attack or damage caused by children under five.

Guarantee does not cover Roto Molded products. Refer to www.pelican.com™/warranty for full details.

U.S.A.

TO ORDER PELICAN LIGHTS AND CASES IN THE USA:

TORRANCE

23215 Early Avenue
Torrance, CA 90505
Tel: 310.326.4700
800.473.5422
Fax: 310.326.3311
www.pelican.com

TO ORDER PELICAN STORM OR PELICAN HARDIGG CASES IN THE USA:

DEERFIELD

147 North Main Street
South Deerfield, MA 01373
Tel: 800.542.7344
Fax: 413.665.8330
www.pelican.com

INDIANA

3802 N 600 W # B
Greenfield, IN 46140-9642
Tel: 317.866.2040
www.pelican.com

INTERNATIONAL

CANADA

Pelican Products, Inc.
10221-184th Street
Edmonton, Alberta
T5S 2J4 Canada
Tel: 780.481.6076
Fax: 780.481.9586
www.pelican.ca

EUROPE, MIDDLE EAST & AFRICA

Peli Products, S.L.
c/ Casp, 33-B Pral.
08010 • Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

JAPAN

Pelican Products K.K.
Suntec Bldg. 7F
2-2-7 Honcho, Funabashi-shi
Chiba 273-0005 Japan
Tel +81 47 433 7715
Fax +81 47 433 7882
www.pelicanproducts.jp

AUSTRALIA

Pelican Products Pty Ltd
Suite 2.33, Platinum West
4 Ilya Avenue, Erina NSW 2260
Australia
Ph: +612 4367 7022
Fax: +612 4367 7066
www.pelicanaustralia.com

CHINA

Pelican Products China Representative Office
Pine City Building, Room 1026
777 Zhaojiabang Road
Shanghai, China 200032
Tel +86.21.64189685
Fax +86.21.64189679
www.pelican.com/cn

